
# GOOD PAINT THINGS



A Wholesale Price List of Paints and Paint Stuff



# **NET PRICES**

Subject to change without notice

Clean-

Up

And

Paint-

Up

Campaigns



Help Make

Good

Neighbor-

hoods

And

Good

Neighbors

Latest Market Information on Page 2

The Cleveland Window Glass and Door Company

**CLEVELAND** 

# INDEX

| A1 1141                  | 21    |
|--------------------------|-------|
| Abolition                | 6     |
| Alconol                  | 6     |
| Alum                     | 6     |
| Ammonia                  | 13    |
| Aluminum Leaf            | 6     |
| Aluminum Paint           | 24    |
| Anilines                 | 6     |
| Asphaltum                | 6     |
| Banana Liquid            |       |
| Barn Paints              | 15    |
| Barrelled Sunlight       | 16    |
| Beeswax                  | 6     |
| Black Board Slating      | 6     |
| Dwongog                  | 6     |
| Bronzing Liquids         | 6     |
| Drongito                 | 8     |
| Cans (Empty)             | 6     |
| Carriage Paints          | 6     |
| Carriage Faints          | 7     |
| Calcimo                  | 7     |
| Carbolineum              | 10    |
| Cement Paints            | 7     |
| Chamois Skins            | 7     |
| Cold Water Paints        | 9     |
| Colors, Dry              | 8     |
| Colors in Oil            |       |
| Colors in Japan          | 7     |
| Concrete Paints          | 10    |
| Crack and Crevice Filler | 12    |
| Degrah                   | 25    |
| Distance Colors          | 9     |
| Drop Cloths              | 10    |
| Dry Colors               | 9     |
|                          | . 8   |
|                          | 11    |
| Enamel Undercoater       | 11    |
| Factory White            | 7     |
| Factory white            | 4 80  |
| Fadeless Green           | 10    |
| Fillers                  | 16    |
| Flat Paint               | 12-25 |
| Flat Varnish             | 10    |
| Floor Hardener           | 12    |
| Floor Oil                |       |
| Floor Paint              |       |
| Floor Wax                | . 12  |
| Furniture Polishes       | . 13  |
| Gilder's Materials       | . 13  |
| Glass Cutters            | . 13  |
| Glass Boards             | . 13  |
| Glazier Points           | , 13  |
| Gloss Oil                | . 14  |
| Glues                    | . 13  |
| GluesGold Leaf           | - 0   |
| Gold Leal                |       |
| Gold Paint               | - 0   |
| Gold Size                |       |
| Graining Colors (Oil)    | . 9   |
| Graining Colors (Water)  | 1 27  |
| Casining Tools           | . 16  |

|                            | Page            |
|----------------------------|-----------------|
| Graphite Paints            | 12              |
| Graphite Faints            | 12              |
| Ground Colors              | 12              |
| Johnson's Specialties      | 12              |
| Johnson's Wax              | 24              |
| Johnson's Dyes             | 7               |
| Kalsomines                 | 16              |
| Keystona                   |                 |
| Ladders                    | 14-13           |
| Ladder Jacks               | 17              |
| Leads                      | 17              |
| Linseed Oil                | 21              |
| Linseed Oil Soap           | $\frac{21}{22}$ |
| Liquid Roof Cement         | 10              |
| Tienid Filler              |                 |
| Liquid Glue                | 13              |
| Liquid Veneer              | 13              |
| Litharge                   | 17              |
| Lve                        | 15              |
| Metal Polish               | 15              |
| Mill Whites                | 16              |
| Mixed Paints               | 15              |
| Ochres in Oil              | 8               |
| O'Coder Polish             | 13              |
| Oils                       | 17              |
| Ovalic Acid                | . 12            |
| Paste (Paper Hangers)      | . 19            |
| Patching Plaster (Rutland) | . 19            |
| Plaster Paris              | . 18            |
| Paint Rurners              | 10              |
| Pointing Machines          |                 |
| Paint Removers             | 21-22           |
| Paper Hangers' Tools       | 19 - 20         |
| Paper Hangers' Trestles    | . 19            |
| Planks (Extension)         | . 14            |
| Polishing Materials        | . 23            |
| Porch and Lawn Fur Enamel  | . 7             |
| Priming Ochres             | . 8             |
| Pumice                     | . 23            |
| Putty                      | , 23            |
| Putty Knives               | . 17            |
| Ridgely Trimmers           | . 19            |
| Roof Coatings, Liquid      | , 22            |
| Roof Coatings, Plastic     | . 22            |
| Roof Hooks                 | , 15            |
| Poof Point                 | . 22            |
| Rosin                      | . 22            |
| Rotten Stone               | . 23            |
| Rubbing Felt               | . 23            |
| Rubbing Oil                | . 17            |
| Sand Paper                 | . 23            |
| Savabrush                  |                 |
| Scaffold Jacks             |                 |
| Scraping Knives            |                 |
| Screen Paint               |                 |
| Screen Paint               |                 |
| Shellacs                   |                 |
| Stick Shellac              |                 |
| Shingle Stain              | . 24            |
| Shingle Stain              |                 |

|                         | Page    |
|-------------------------|---------|
| Sign Painters' Supplies | 22      |
| Silica                  | 9       |
| Sipes Oils              | 17      |
| Size (Paper Hangers)    | 19      |
| Smalts                  | 22      |
| Soaps                   | 21      |
| Sponges                 | 21      |
| Stains                  | 24      |
| Stencils                | 22      |
| Steel Wheels            | 13      |
| Stool Wool              | 23      |
| Step Ladders            | 14-15   |
| Straight Edges          | 19      |
| Swing Stage Hooks       | 14      |
| Top and Seat Dressing   | 11      |
| Forches (Painters)      | 18      |
| Trestles (Painters')    | 14      |
| Turnantina Substituta   | 17      |
| Varnishes               | 24 - 25 |
| Varnish Remover         | 21-22   |
| Venetian Red (Oil)      | - 8     |
| Vitralite               | 11      |
| Wall Paper Cleaner      | 19      |
| Wall Sealer (Duredec)   | 16      |
| Water Paints            | 7       |
| White Lead              | 17      |
| Whiting                 |         |
| Whiting                 |         |
| Wood Alcohol            | 0.0     |
| Wood Cement             |         |
| Yellow Ochre (Oil)      |         |
| Zincs (Oil)             | U       |
|                         |         |

# BRUSHES

| Artist and Fresco | 33  |
|-------------------|-----|
| Badger35-         | -36 |
| Dadger            | 33  |
| Bristle Fitches   | 3.5 |
| Camel's Hair      | 32  |
| Dusters           | 32  |
| Floor Brushes     |     |
| Fitch35           | -30 |
|                   |     |
| Kalsomine         | -31 |
| P. H. Paste       | 30  |
| P. H. Smoothers   | 31  |
| Sash Tools        | 26  |
| Sash Tools        | 34  |
| Sign Writers      | 30  |
| Stencil           |     |
| Stippling         | 34  |
|                   |     |
| Varnish (Flat)    | -27 |
|                   |     |
| Wall Brushes      | -29 |
| Water Tools       | 30  |
| Whitewash         | 30  |
| Whitewash         | 35  |
| Wire Brushes      | 0.  |
|                   |     |

# Plain Net Figures. Why?

When selling by mail through a medium like this price list, it is necessary to make all selling arguments so plain and conspicuous that the buyer can not miss them.

The prices when quoted as we show them in PLAIN NET FIGURES, can be quickly and easily judged. They talk for themselves and don't need any boosting. Net prices save figuring, avoid mistakes and make comparisons easy. We like comparisons because we are not afraid of the result.

The quality of the goods we sell is readily recognized by the well-known standard brands listed. You can depend on every statement we make regarding our quality. We test our goods and know them thoroughly.

# Paint Service

Service is a term much used today in advertising, and also much abused.

There is no business in which it is a more important factor than in the paint business. The paint buyer wants service, and realizes its importance.

Service means not only quick delivery, but also dependable goods, fair treatment, and honest and competent advice as to proper materials for given work. On this latter point valuable service can often be given in helping to choose materials that save labor or make possible superior results at no more, or even at less cost than through the usual methods.

All of these things comprising service, coupled with the lowest consistent prices, are what you should, and probably do, expect in return for your trade.

Our long years of study and training, our modern paint factory, agencies for long established and widely known lines, large buying power, and honest desire to serve our customers well, are some of the reasons why we feel capable of rendering that kind of paint service you desire.

Whether we give such service is for you to judge. Look through this price list and compare our prices and quality with others. All we ask is that you buy from us when you can to advantage.

# MARKET REVIEW

# LINSEED OIL

The crop of flaxseed harvested in the United States and Canada this year is considerably less than half our normal requirements and it will be necessary to import large quantities from Argentine to cover our needs. The present year crop of South America is still undetermined and price of seed and linseed oil in this country will depend largely on the Argentine developments. Another factor that will influence future trend of the market here is the new tariff measure which provides a substantial duty on oil and seed. Best authorities lean to the opinion that present prices are close to if not actual bottom for the ensuing year.

# TURPENTINE

The statistical position of turpentine is strong and many authorities feel that prices will be maintained on present basis and may go higher. There seems to be good export demand.

# WHITE LEAD-MIXED PAINTS, ETC.

Recent announcement by lead corroders guarantee present prices until Feb. 28th, 1922. In case of decline before said date, credit will be issued to cover reduction on lead on hand purchased since Nov. 2nd, 1921. Mixed Paint and Color prices appear to be at bottom and there is small likelihood of radical changes in prices.

# SHELLAC

Shellac prices have advanced sharply during the past six weeks due to scarcity of supplies in this country. Importers tell us present prices will hold at least until Jan. 1st and possibly longer.

# **TERMS**

For approved credit, our terms are 30 days net, 2 per cent in 10 days, on all goods quoted in this book, except oils, turpentine, alcohol, Barrelled Sunlight, shellac and gold leaf, on which terms are 30 days net, 1 per cent in 10 days.

For cash with order, we allow 5 per cent, except on lead, oil, turpentine, alcohol, Barrelled Sunlight, shellac and gold leaf, which are subject to 2 per cent discount for cash with order.

All goods are sold f. o. b. Cleveland, except varnish in case lots, on which freight is allowed.

All C. O. D. orders must be accompanied by deposit sufficient to cover freight charges both ways.

# An Added Facility For Service in Good Paint Things



Here is an accurate picture of our modern paint and varnish factory located in Cleveland and devoted to the manufacture of high grade paints, varnishes and roof coatings.

With a few exceptions, all products in this book under the trade brands of SUNSHINE, PERMATONE, DUREDEC and RIVERSIDE are made in our factory according to a uniform standard of quality. The raw materials and finished products are carefully tested to insure dependable quality at all times.

With this added facility we are able to offer you even greater value than before and merchandise that we fully guarantee to be as represented. Through our factory we can furnish special paints for industrial and other purposes and invite inquiries on such products.

We now feel we are in the strongest possible position to serve all classes of paint and varnish users.

THE CLEVELAND WINDOW GLASS & DOOR CO

# MAGAZINE SECTION

# DEVOTED TO NEWS OF INTEREST TO PAINT TRADE

We invite inquiries concerning knotty paint problems. If we can't solve them we will find some one who can.

# How to Detect Adulteration of Turpentine

When turpentine is adulterated to the extent of 10 per cent or more, a careful observer familiar with turpentine can usually determine the fact by one or more of the following simple tests:

Odor—The presence of kerosene, gasoline, benzol, or solvent naphtha is usually revealed by its odor. Wood turpentine is best distinguished from gum spirits by its odor. The odors of these materials cannot be described; they can be learned only by actual trial and experience. Lack of the characteristic turpentine odor is good ground for a careful test to determine the purity of the sample.

Grease Spot—Pour a little of the suspected turpentine on a piece of white writing paper. If the bulk of the sample evaporates rapidly from the paper, leaving a greasy spot which evaporates very slowly or not at all, the turpentine is probably adulterated with kerosene or heavy solvent naphtha, or contains a large percentage of heavy turpentine which will not distill below 170° C. The odor of the grease spot often determines the nature of the adulterant. Greasy spots around bung or spigot holes of turpentine barrels are also indicative of these adulterants.

Bead—When a perfectly clean dry bottle is partly filled with turpentine and violently shaken for a moment the bead or foam that forms will immediately pass away if the turpentine is pure and fresh. If the foam persists for 5 seconds or more, the turpentine probably is adulterated or old.

Evaporation Test-Set a 5-inch watch glass near an open window where a gentle air current can blow across it. Carefully place in it 5 cc. (a tablespoonful) of the turpentine, so that the glass does not become wet with the turpentine beyond the edge of the surface of the liquid. Then carefully pipette or dip out 2 cc., or about half of it (a scant teaspoonful). Observe the rim of the turpentine film after 3 hours. If the rim is continuous or more or less regular in outline, the turpentine is probably pure. If, however, the rim is made up of a chain of distinct drops or beads. or if the liquid appears to flow back to the center of the glass in distinct streams, it probably is adulterated with mineral oil or is an old turpentine of high specific gravity. The unevaporated residue will also smell of mineral oil if kerosene or any other oil which is less volatile than turpentine has been used as an adulterant.

# How Bronze Powders Are Made

The name Bronze Powder applies to powder made from copper, spelter, tin and various alloys of these metals which under microscopic inspection would reveal minutely fine, thin, leafy "flakes" as distinguished from the usual fine ground "granule" powder. It is generally supposed Bronze Powders are produced by grinding. This is not so. They are made by a mechanical stamping process.

The raw material or alloy is first melted and in a liquid state poured upon a revolving cylinder into narrow, thin strips, which are then cut by automatic power cutters into small pieces; reduced it is fed into stamping batteries and stamped into large leafy flakes.

After screening these flakes are put through a second stamping process and reduced to powder. The powder is automatically put through a very fine wire cylinder sieve and is then ready to separate. The fine, light weight powder is extracted from the heavier particles by means of air current separators.

By far the most important operation is the finishing. Unfinished powder from the separator is polished and finished by friction. The powder being forced between rapidly revolv.

# MAGAZINE SECTION

(Continued)

ing brushes and against the indented sides of steel drums, the friction creating the polish or brilliancy.

Numerous colors are produced by heating the powder in copper drums, slowly revolving over gas flames. More intense colors are produced by mixing with aniline dyes. Almost any desired color or shade can be made.

The selection of Bronze Powder should be very carefully made by the user for the number of grades are many and the shades unlimited.

A powder most suitably adapted for the Lithographer would be of no use to the Radiator Painter. And again, the powder giving highly satisfactory results for best Picture Frame work would be unsatisfactory and useless for the Lithographer.

A careful study has been made of the individual industrial requirements, and each particular feature, whether it be brilliancy, fineness, dryness, smoothness, etc., has been embodied into that grade of powder requiring it

Palegold is the regular shade of gold leaf and is generally used. Richgold is light gold or brass color. Deep gold resembles the Roman Gold shade.

# How About the Gutters?

Of course on a well painted house the eaves troughs and down spouts are painted with the body or trimming color used on the building. But how about the inside of the gutter? Many painters neglect this important part of the work, and paint only the part which shows from below because the trough is filled with dirt and dead leaves and it is a somewhat dirty job to clean it out. Because of this the eaves troughs soon rust through and must be replaced with new ones.

Painting the interior of an eaves trough is as important as painting any other part of the house. After cleaning it thoroughly give it a coat of red lead paint mixed with oil and turpentine, and when this is thoroughly dry apply a coat of good red Oxide or Graphite Paint. This treatment applies equally to the flashings of cornices, skylights and other roof work.

On new galvanized iron work, however, trouble will be experienced unless the surface is prepared to receive paint. It should be washed with a solution composed of one quart of warm water in which ½ oz. each of nitrate of copper, chloride of copper and sal-ammoniac have been dissolved and to which ½ oz. of hydrochloric acid has been added. This mixture should be made in a glass or earthen jar as the chemicals will eat a tin pail.

Apply with a flat brush and when dry brush off the white powder which remains on the surface and paint with red lead paint. The final coats can be of any color desired, using white lead paint. This job will stand for years without peeling.

Permatone Barn and Metal Paint on page 15. Graphite Paint on page 12.

# Removal of Glue Stains

Casein and vegetable glues containing caustic soda produce stains on certain kinds of wood, notably the oaks, maple, cherry, elm, ash, birch and beech. Some glues stain the wood more than others, and those that contain the most alkali are likely to be most injurious. The staining is due to the action of the alkali in the glue on the tannins and other constituents of the wood, whereby a substance related to ink is formed.

No means have yet been found of preventing this chemical action. Precautions can be taken, however, the Forest Products Laboratory believes, which will keep the discoloration from the finished 'surfaces.

The most trouble with glue stain in wood working is caused by the penetration of the glue solution through thin face veneers. This seepage is likely to occur if the veneer is less than 1-20 inch thick and somewhat porous. The consistency of a glue in part determines whether it will be squeezed through the wood or not.

It is quite obvious that under similar conditions a thin glue will penetrate farther than a thick glue. For this reason the quantity of water that is added to a glue might be diminished, and fillers added when staining is feared. The amount of pressure exerted by the panels in the press is also a factor, but it would not be advisable to reduce the pressure in order to check the flow of the glue.

If a panel is dried promptly, the caustic soda will have difficulty in coming to the surface. Rapid drying can be brought about by removing the panels from the press as soon as it is safe to do so, and placing them on stickers. The amount of staining car also be decreased somewhat by placing a caul or some other flat object between adjacent panels in the press.

Casein and vegetable glue stains can be almost entirely removed by sponging the stained surface with an oxalic acid solution, prepared by dissolving 1 ounce of oxalic acid crystals in about 12 ounces of water. Still better results may sometimes be obtained by moistening the wood first with a sodium sulphite solution made up in the same concentration as the oxalic acid. In this way, stubborn stains can be almost obliterated.

| ALCOHOL  |
|--|
| (188 Proof)  |
| Wood Denatured   |
| Bblsper gal. \$ .80 \$0.50   |
| Half Barrelsper gal60  |
| Less than bblsper gal. 1.00 .65  |
| Cans extra. (See page 5.)  |
| 180 Proof Denatured Alcohol, 1 cent gallon less.   |
| The second of the second of the second   |
| SUPERIOR ALUMINUM PAINT  |
|  |
| Washable, weatherproof and grease proof. Pre-  |
| vents rust and is durable. Good for radiators,   |
| metal, wood and leather. Put up in presstop cans ready for use.  |
| ready for use.   |
| Sixth-pints\$0.16  |
| Quarter-pints  |
| Half-pints   |
| Pints  |
| Quarts 1.20  |
| Half-gals 2.28   |
| Gals 4.45  |
|  |
| AMMONIA  |
| Extra strength.  |
| In carboys (about 15 gals.)per gal. \$0.80   |
| Less quantitiesper gal90   |
| Containers extra.  |
|  |
| ALUM   |
| Per lb.  |
| Commercial powdered, less than bbls\$0.11  |
| Commercial powdered, full bbls   |
| Commission postage and a solution of the contract of the contr |
|  |
| ASPHALTUMS   |
| Our asphaltums are thoroughly high grade. The  |
| Turpentine Asphaltum is recommended for the best   |
| class of iron painting.  |
| 5 1/2 1/4  |
| Bbls. Gals. Gals. Gals. Gals.  |
| Bens. Asp.       \$0.65       \$0.95       \$1.00       \$0.55       \$0.35         Union Asp.       .82       1.10       1.15       .65       .40         Turp. Asp.       .93       1.25       1.30       .70       .43  |
| Union Asp  |
| Turn. Asp  |
| No charge for packages.  |
| No charge for packages.  |
|  |
| BEESWAX, ETC.  |
| Per lb.  |
| Wax (Yellow)   |
| White (Pure Beeswax)2-lb, boxes .75  |
|  |
| BLACK BOARD SLATING  |
|  |
| In black and green.  |
| Dries flat, hard, smooth and will not crack.   |
| Gallons\$3.77  |
|  |
| Quarts 1.11<br>Half-pints 43   |
| Hair-pines   |
| •  |

# BRONZES

We select our bronzes with the greatest care, making careful tests. In listing the various grades we have given only brief descriptions and shall be glad to furnish more detailed information on request.

Prices on all gold and colored bronzes in one ounce papers, pound packages, 10 cents per pound advance over one pound can price.

| advance over one pound can price.   |   |
|---|---|
| GOLD BRONZES  |   |
| 1 lb. cans Per  |   |
| A—Pale shade. Put up in oz. papers  |   |
| and lb. cans. First-class bronze  |   |
| for radiators and gas fixtures\$1.22 \$0.12   | ć |
| B—In pale and rich shades. Put up<br>in oz. papers and lb. cans. Used                                   |   |
| principally for decorative pur-   | , |
| poses   | ) |
| in oz. papers or lb. cans. For  |   |
| high grade work on mouldings,<br>etc1.78  | ) |
| D—In pale and rich shades. Put up   | , |
| in oz. papers and lb. cans. For   |   |
| very finest work on mouldings or<br>for high grade frescoing 2.05 .23                                   | 3 |
| EXTRA SUPERIOR FRESCO   |   |
| Pale shade. Put up in oz. papers.  Excellent for frescoing or for fine                                  |   |
| finish on mouldings 2.25  | 1 |
| FRENCH GOLD LEAF BRONZE   |   |
| In oz. papers or lb. cans 3.65 .33 B GOLD LINING  | ) |
| In oz. papers and 1-lb. papers 3.65   | 5 |
| EXTRA FINE GOLD LINING  |   |
| In 1 oz. papers 4.20 .42  | 2 |
| ALUMINUM BRONZES  |   |
| CHEMICALLY PURE-Put up in   |   |
| one oz. papers, quarter or<br>lb. cans. A good radiator   |   |
| bronze\$1.22 \$0.13   | 2 |
| FINE ALUMINUM LINING  |   |
| In oz. papers\$4.50 \$0.4   |   |
| Aluminum Bronze in ½ lb. pkgs. 10c per lb. ove<br>1 lb. cans, ¼ lb. pkgs. 20c advance, 1 oz. papers 30c | r |
| advance.  |   |
| MISCELLANEOUS BRONZES   |   |
| RADIATOR COPPER \$2.25 \$0.23   | 2 |
| PATENT COLORED BRONZES—   | 0 |
| THE SOLUTION DIVING   |   |

In nine colors, each of clear rich tone; red crimson, light and dark green, light and dark blue, fire,

violet, and purple, in oz. papers \$2.25 \$0.25

# BRONZING LIQUIDS

### SUNSHINE BANANA LIQUID

A high grade enamel bronzing liquid, used with bronze powders for finishing mouldings and decorative work. This liquid is a powerful solvent of paint or varnish and should not be used over painted or varnished surfaces

| TOTAL DELCCE DELLEGED |             |
|-----------------------|-------------|
| Gallons\$3.33         | Pints\$0.72 |
| Half-gal 1.94         | Half-pints  |
| Quarts 1.11           |             |

# CHAMPION LIQUID-C. W. G. & D. CO.'S

Bronze powders mixed with this liquid make a very durable finish, suitable for radiator and fresco work.

Gallons. \$1.25 Half-pints. \$0.18 Half-gal. .70 Quarter-pints. .12 Quarts. .40 2 oz. bottle. .08 Pints. .25

# HEAT RESISTING LIQUID

 Made especially for bronzing surfaces subjected to extreme heat.
 \$1.78

 Gallons.
 \$1.78

 Half-gal
 1.00

 Quarter-gal
 56

 Pints.
 33

# EXTRA SUPERIOR FRESCO LIQUID

Any of our decorative bronzes mixed with this liquid makes a very close imitation of gold leaf. Gallons. \$2.05 Half-gal. 1.10 Quarter-gal. 60

### SUNSHINE CARRIAGE PAINTS

Work freely and wear well, being made from permanent colors, finely ground in high grade varnish. Considered the best line of carriage paint sold. Made in eight colors, put up in presstop cans.

| Qt.               | Pt.    | 1/2-pint |
|-------------------|--------|----------|
| Yellow\$1.27      | \$0.70 | \$0.40   |
| Coach Green 1.27  | .70    | .40      |
| Gray 1.27         | .70    | .40      |
| Black             | . 60   | . 37     |
| Carmine           | .77    | .43      |
| Vermilion 1.37    | .77    | .43      |
| Tally-Ho Red 1.27 | .70    | .40      |
| Wine 1.37         | .77    | .43      |
| Tan 1.10          | . 60   | . 37     |

# EMPTY CANS

Jacket cans and cans in cases used for shipping liquids like alcohol, oils, etc., where extra charge is made for containers.

| 10 gallon. | -5s in a case | <br>\$2.00 |
|------------|---------------|------------|
|            |               |            |
|            |               |            |
|            |               |            |
|            |               |            |
| ½ gallon.  |               | <br>       |

# CALCIMO WALL FINISH

A prepared calcimine for the painter, also good for home use. In powdered form—ready for immediate use, by the addition of cold water.

|                        | Ordinary                          |
|------------------------|-----------------------------------|
|                        | White Tints                       |
| Bbls. 350 lbs. per cwt |                                   |
| Kegs 100 lbs. per cwt  | $08\frac{1}{2}$ $09\frac{1}{4}$   |
| 5 lb. pkgs, per lb     | $.09\frac{3}{4}$ $.10\frac{1}{2}$ |
| Bulk (white only)      | .083/4                            |

### CALCIMO WALL COLORS

Much deeper than the usual shades. Sun and line σroof. Glued and ready for use when water is added.

|                        | 50-lb. |        |
|------------------------|--------|--------|
|                        | kegs   | Less   |
| A—Canary Yellowper lb. | \$0.20 | \$0.22 |
| B Gray Olive per lb.   | . 20   | .22    |
| D-Dark Oliveper lb.    | .20    | .22    |
| F—Light Oliveper lb.   | .20    | . 22   |
| G—Delft Blueper lb.    | .20    | .22    |
| H-Dark Yellowper lb.   | .13    | . 15   |
| I—Light Greenper lb.   | . 27   | . 29   |
| J—Terra Cottaper lb.   | .13    | .15    |
| K-Moorish Blue per lb. | .29    | .31    |
| M-Dark Green per lb.   | .20    | .22    |
| O-Medium Greenper lb.  | .20    | . 22   |
| R—Leather Brownper lb. | .17    | .19    |
| S—Light Blueper lb.    | . 13   | . 15   |
| T—Moss Greenper lb.    | . 27   | . 29   |
|                        |        |        |

### AQUADURO COLD WATER PAINT

A dry powder which, by the addition of cold water, becomes a fire-resisting paint which will not rub, scale or turn yellow. Suitable for inside or outside factories, warehouses, stables, saw mills, farm buildings and fences. Sixteen colors and wnite. Weatherproof and durable.

|                    | lb.    | lb.       |        |           |        |
|--------------------|--------|-----------|--------|-----------|--------|
|                    | bbls.  | Kegs      |        |           |        |
| White              | \$0.12 | \$0.121/2 | \$0.13 | \$0.131/2 | \$0.15 |
| Colors all except  |        |           |        |           |        |
| Nos. 51, 61 and 65 | . 13   | .131/2    | . 14   | .141/2    | .16    |
| 51, 65 and Black.  | .14    | . 14 1/2  | .15    | .151/2    | .18    |
| No 61              | 1.9    | 1912      | 10     | .1017     | 0.1    |

400 100 50 lbs 25 lbs. Less

# **FACTORY WHITE**

Our best Quality Cold Water Paint

A paint sold in the dry powder form, made ready for use by adding cold water; has excellent body; will not rub or seale; any number of coats can be applied. For the interior coating of factories, warehouses, stables, etc. It resists fire and stays white better than oil paint. Can be applied with brush or painting machine.

|  | Per cwt. |
|--|----------|
| Barrels, 400 lbs                       | \$6.00   |
| Kegs, 100 lbs                          | 7.00     |
| Less                                   | 8.00     |
| Sample package and further information | for the  |
| asking.                                |          |

### VERIWHITE COLD WATER PAINT

For same purposes as Factory White is used, but is not as high quality. Good white, will not rub or flake off and will not turn yellow. It's the average grade cold water paint.

| Bbls. 400<br>Less than | lbs  |       |   |   |   |    |   |   |   |   |   |  |    |   |   |  |   |   | \$4.25 |
|------------------------|------|-------|---|---|---|----|---|---|---|---|---|--|----|---|---|--|---|---|--------|
| Less than              | pois | <br>۰ | ۰ | ٠ | ٠ | ٠. | ۰ | ۰ | ۰ | ۰ | ۰ |  | ٠. | ۰ | ۰ |  | ٠ | ٠ | 6.00   |
| -                      |      |       |   |   |   |    |   |   |   |   |   |  |    |   |   |  |   |   |        |



# PORCH AND LAWN FURNITURE ENAMEL

Made in green and vermilion shades. Both rich in tone. For out-of-door furniture, wood or iron porch chairs, lawn seats, flower stands, etc.

|                | Green  | Ver-             |
|----------------|--------|------------------|
| Quartseach     | \$1.27 | milion<br>\$1.37 |
| Pintseach      | .70    | .77              |
| Half-pintseach | .40    | .43              |

# CHAMOIS SKINS

All are trimmed, free from seams. Will not get hard if dried properly. Being very soft and thick, they hold a large quantity of water.

|                                 | Per kip of 30 Each |
|---------------------------------|--------------------|
| A-7 x 9                         | . \$1.95 \$0.07    |
| F—12 x 16                       | . 7.78 .29         |
| K—16 x 21                       |                    |
| L—17 x 23                       |                    |
| M—19 x 25                       |                    |
| N—20 x 26                       |                    |
| O—23 x 26                       |                    |
| A. L.—24 × 27                   | . 34.02 1.25       |
| CHAMOIS                         |                    |
| E II V 10 01                    | Each               |
| F. H. X—13 x 24                 | 65                 |
| F. I. X—15 x 27                 |                    |
| F. K.—17 x 29                   | 1.05               |
| S. D. X-187-23 x 26-(Oil Tanne  | ed) 1.25           |
| S. D. X-225-25 x 31 (Oil Tanned | l) 1.55            |
| S. D. X-275-30 x 37 (Oil Tanned | 1.90               |

# **WOOD PRESERVATIVE**

### CARBOLINEUM AMERICAN

Wood preservative.

For the preservation of wood. Specified by the U. S. Government and by many railroads. Also used largely in tanneries and factories. All wood used in exposed places or under ground should be treated with it. Prevents dry rot. Good for telephone poles, railroad ties, docks, etc.

In full bbls, 50 gallons......per gal. \$0.72 Less quantities (containers included)per gal. \$1.00

# DITZLER'S JAPAN COLORS For Auto and Carriage Work

For many years the Ditzler standard grind of Japan colors has been one of dependability for fineness, uniformity, strength and tone. Their use by some of the largest and highest class shops in the country show the merit of this line is recognized. These colors when thinned with turpentine dry perfectly flat.

In addition to the Japan colors we carry a large stock of Color Varnishes, Striping and Elastic Colors, Fillers and Primers of this maker. Sendifor

complete price list and color card.

# SUNSHINE COLORS IN OIL

Best Grade made in our own factory from the best raw material, full strength.

A careful comparison of these colors for strengthfineness of grinding, color and uniformity, will convince you that there are none better and few as good. They are triple ground in pure linseed oil.

Prices below are for 1-lb, cans. In 25 lbs. 3 cents less; 12½ lbs. 2 cents less per pound. All net weight

| less; 12½ lbs. 2 cents less per pound. All r | net weight      |
|--|-----------------|
| cans. BLACKS                                 | Per lb.         |
| Best Drop Black                              | \$0.35          |
| Best Lamp Black                              |                 |
| No. 1 Lamp Black                             | . 34            |
| BLUES  | Per lb.         |
| Best Cobalt Blue                             | . \$0.53<br>.75 |
| Best American Blue (formerly Prussian)       |                 |
| Best Ultramarine Blue                        | 02              |
| BROWNS                                       | Per lb.         |
| Best Italian Burnt Sienna                    | . \$0.33        |
| Dogt Italian Row Sienna                      |                 |
| D Tunkov Burnt I mher                        | , .,,,,,        |
| Don't Turkov Raw ! mher                      | , ,,,,,,        |
| Best Italian Vandyke Brown                   |                 |
| GREENS                                       | Per lb.         |
| Best Chrome Green, Lt., Med. and Dk          | . \$0.35        |
| LAKES  | Per lb.         |
| Best English Rose Lake                       | . \$0.55        |
| Dood Ungligh Rose Pink                       | 00              |
| Best Turkey Red Lake                         | 70              |
| WHITES                                       | Per lb.         |
| De t French Zing "V M Co's" Oil              | . \$0.32        |
| Best French Zinc in Damar                    |                 |
|  |                 |
| REDS   | Per lb.         |
| Cherry Red                                   | . \$0.42        |
| Doot Indian Red                              | 00              |
| Best American Vermilion                      |                 |
| Best Venetian Red                            | 23              |
| Best venetian ited                           |                 |
| YELLOWS                                      | Per lb.         |
| C. P. Chrome Yellow, I.t., Med. and Dk.      | . \$0.46        |
| No 1 Chrome Yellow, Lt., Med. and Dk.        |                 |
| Regt Golden Ochre                            | 20              |
| Best Yellow Ochre                            | 25              |
| COLOR OF AINING COLOR                        | 2               |
| ARTISAN GRAINING COLOR                       | out manla       |
| In eight shades, light oak, dark oak, walr   | iut, mapie,     |

cherry, ash, mahogany, and chestnut.

# COLORS IN OIL

Large Packages

# SUNSHINE OCHRE

A natural French Ochre, ground fine, of great strength and fine color, in pure linseed oil. Let us send you a sample.

| $\frac{12\frac{1}{2}}{25}$ | lb. | cans. |  |   |   |  |   |  |   |   |   |   |   |   |   |   |    | . per | lb. | \$0. | 1 | 7 | 1, |
|----------------------------|-----|-------|--|---|---|--|---|--|---|---|---|---|---|---|---|---|----|-------|-----|------|---|---|----|
| 25                         | Ib. | cans. |  | ٠ | ٠ |  | ٠ |  | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ۰ | ۰. | · per | ID. |      |   | 0 | -  |

# ONYX OCHRE

A fine Ochre, ground in pure linseed oil. It is a strong Ochre with a beautiful tone.

|           |      | . 11.       | 101/             |
|-----------|------|-------------|------------------|
| 25 lb.    | cans | <br>per lb. | . 191/2          |
| 121/2 lb. | cans | <br>per lb. | $.19\frac{3}{4}$ |

# "C" WHITE AND GRAY OCHRE

For priming work. Much better than most priming whites and grays.

| 12½ lb. cans | \$9.75<br>9.50 |
|--------------|----------------|
|--------------|----------------|

# CLEVELAND XX VENETIAN RED

A medium grade red for ordinary work. Better than the average priming color.

| 25    | lb. cans | per cwt. | \$11.00 |
|-------|----------|----------|---------|
| 121/6 | lb. cans | per cwt. | 11.50   |

# CLEVELAND XX YELLOW OCHRE

A rich French ochre color of clear tone, finely ground in oil.

| 25   | lb. | cansper cwt | . \$11.00 |
|------|-----|-------------|-----------|
| 1916 | lh  | cansper cwt | . 11.50   |

# SUNSHINE VENETIAN RED

# Two Shades, Light and Dark

The best English Venetian Red, ground in pure linseed oil. Has strong tinting quality. The dark shade is almost like Indian Red in color and tone.

TILL Dool

|                           |    |             | Light          | Dark           |
|---------------------------|----|-------------|----------------|----------------|
| 12½ lb. car<br>25 lb. car | ns | <br>per lb. | \$0.16½<br>.16 | \$0.18½<br>.18 |

# COLORS IN OIL

### BRONZITE GREEN

This is a natural pigment ground in pure linseed oil. It is more permanent and will take more oil than ordinary greens. We carry six shades. It is especially suited for use as body color or trimmer for store-fronts, roofs, signs, etc. It is not recommended for a tinting green. Send for color card.

|                  | 100 lb,     | Cases  | Less   |
|------------------|-------------|--------|--------|
| 25 and 121/2 lb. | cansper lb. | \$0.17 | \$0.18 |

### PERMATONE GREEN

Ground in linseed oil. Noted for its strong color, durability and covering power. Permanent shades.

Made in light, medium and deep. Excellent tinting color.

|                  | Per lb. |
|------------------|---------|
| 1 and 5 lb. cans | \$0.32  |
| 12½ lb. cans     | 30 12   |
| 25 lb. cans      | . 30    |

### ZINC IN OIL

|                | 25 lb.          | $12\frac{1}{2}$ lb. | 1 &<br>5 lb. |
|----------------|-----------------|---------------------|--------------|
| Fr. Green Seal | \$0.26½<br>.25½ | \$0.27½<br>.26½     | \$0.32       |
| American       | .22             | . 221/2             |              |

# **DRYERS**

We would not recommend dryers which cost less than our B grade. The B grade is suitable for ordinary work, but we advise either of the other grades quoted for the best results.

| ½ bbl  | . 5 gal.                            | 1 gal.   |
|--------|-------------------------------------|--|
| per    | per                                 | per  |
|        |                                     | gal.   |
| \$0.65 | \$0.90                              | \$0.95   |
| .87    | 1.10                                | 1.15   |
| .98    |                                     | 1.30   |
|        | 2.10                                | 2.20   |
|        | per<br>gal.<br>\$0.65<br>.87<br>.98 | gal. gal.<br>\$0.65 \$0.90<br>.87 1.10<br>.98 1.25 |

### DRATT'S LIQUID DRVER

| FRAIT S DIQUID DELLES   |                               |
|---|-------------------------------|
| 5 gallon cans         per gal.           Gallons         per gal.           Half-gallons         each           Quarts         each | \$2.18<br>2.25<br>1.28<br>.71 |

# DRY COLORS

A very complete line of dry colors is carried in stock at all times. We buy them in carload lots, and for this reason, together with our excellent handling facilities, are able to make the exceedingly low prices quoted and at the same time sacrifice nothing in quality.

We carefully test each shipment, and the uniformity and strength of our colors can be relied upon. Samples are gladly submitted on request.

Prices quoted below are on our standard grades. We can furnish other grades to match samples, and quote equally low prices.

# DRY LAMP BLACK

We list below four grades of the well-known Germantown Lamp Black, Trimount, Star and Arab and an ordinary lamp\_black as No. 1.

|                                | Trimount | and    |        |
|--------------------------------|----------|--------|--------|
| Size                           | Star     | Arab   | No. 1  |
| 1 lb. less than bbl., per lb.  | \$0.31   | \$0.26 | \$0.20 |
| 1/2 lb. less than bbl., per lb | 37       | .31    | ,24    |
| 14 lb. less than bbl., per lb  | 44       | . 39   | .30    |
| Asst, less than bbl., per lb.  |          | .31    | . 24   |

In full barrel lots 2 cents per lb, less and \$1.00 extra charge for barrel. Weight of barrels about 50 pounds.

# DRY DROP BLACK

|              |                |              |        |  |  |      |     |                | Pe | r lb                       |
|--------------|----------------|--------------|--------|--|--|------|-----|----------------|----|----------------------------|
| Eng.<br>Eng. | Super<br>Super | Drop<br>Drop | Black. |  |  | .200 | lb. | bbls.\$ . Less | 0. | $\frac{12\frac{1}{2}}{15}$ |

### DRY BLUES

| 200 lbs.                           | 28 lb |      |
|------------------------------------|-------|------|
| Bbls. Drums                        | box   | Less |
| Ultramarine, H. M., per lb36 .40   | .42   | .47  |
| Ultramarine, A. D., per lb 27 . 30 | .32   | .36  |
|                                    | .28   | .31  |
| Prussian Blue, pure, per lb Man    |       |      |
| Celestial Blue, best, per lb31     |       | . 39 |
| Cobalt Blue, best, per lb25        | .27   | .31  |

# DRY GREENS

|                                   |      | 28 lb. |      |
|-----------------------------------|------|--------|------|
|                                   | Kegs | Boxes  | Less |
| Eagle Chrome Green, L. M. D., per |      |        |      |
| lb                                | . 17 | .18    | .19  |
| Best Chrome Green, L. M. D., per  |      |        |      |
| lb                                | .22  | . 23   | .25  |
| Limeproof Green, Lt. Med. Dk.,    |      |        |      |
| per lb                            | . 26 | .27    | .28  |
| Brilliant Green, Lt. and Dk       |      | .47    |      |
| ,                                 |      |        |      |

| DRY BROWN                    | S       |        |      |
|------------------------------|---------|--------|------|
|                              | 100 lb. | 28 lb. |      |
|                              | Drums   | Boxes  | Less |
| Turkey Umber, burnt and raw, |         |        |      |
| per lb                       | .11     | .13    | . 14 |
| Am. Umber, burnt and raw,    |         |        |      |
| per lb                       | .051/2  | .071/2 | .09  |
| Ital. Sienna, burnt and raw, | -       |        |      |
|                              | .13     | . 15   | .16  |
| _                            | .10     | . 10   | .10  |
| Am. Sienna, burnt and raw,   | 0.0     | 00     | 00   |
| per lb                       | .06     | .08    | .09  |

# 

# DRY LAKES

|                      | 100 lb. 28 lb. |      |      |      |  |
|----------------------|----------------|------|------|------|--|
|                      | D              | rums | Box  | Less |  |
| Turkey Red Lake per  | lb.            | .50  | . 55 | .60  |  |
| Vienna Lake per      | lb.            |      | .75  | .80  |  |
| English Rose Pinkper | lb.            | .28  | .30  | . 33 |  |
| English Rose Lakeper | lb.            | .40  | .44  | .50  |  |

| DRY VENETIAN REDS  | 350 lb.<br>bbls. |
|--|------------------|
| Essex, fair quality, per cwt                               | .\$3.50          |
| Bright, has good color, no grit, per cwt                   | . 3.75           |
| C. W. G. Scarlet, good, strong color, ground fine, per cwt |                  |
| Crown, best grade, rich color, ground very fine, per cwt   |                  |
| Less than bbls., 1/2c net per lb. extra.                   |                  |

# DRY YELLOWS

|                                 |    | Boxes |       |
|---------------------------------|----|-------|-------|
| E. Chrome Yellow, L. M. D., p   | er |       |       |
| Best Chrome Yellow, L. M. D., p |    | . 20  | . 2 1 |
| lb                              | 33 | .35   | .36   |
| Dutch Pink, Imported, per lb    | 22 | .24   | .26   |

|   | lb.  |
|---|------|
| C. W. G. Light Golden, a popular grade, good      | ols. |
| color and quality, per cwt                        | 3.00 |
| French American, very fine grade, equal to        | 5.25 |
| imported ochre in color and fineness, per cwt     | 3.00 |
| cwt   |      |
| Marseilles (French), for decorators' use, per cwt | 2.00 |

| DRY IRON ORE                     | 500 lb. |         |  |
|----------------------------------|---------|---------|--|
|                                  | Bbls.   | Less    |  |
| Prince's Metallic, per cwt       | \$3.10  | \$3.75  |  |
| Rossie Iron Ore Mineral, per cwt | 3.00    | 3.50    |  |
|                                  |         |         |  |
| DRY FILLERS                      | 350 lb. |         |  |
|                                  | Bbls.   | Less    |  |
| Silica, per cwt                  | \$3.00  | \$3.50  |  |
| Silver White, per cwt            | 3.00    | 3.50    |  |
| Reno's Umber, per cwt            | 4.50    | 5.00    |  |
| zone s ombot, per on the         | 1.00    | 0.00    |  |
| ZINCS DRY WHITES                 |         | 100 lb. |  |
|                                  |         | Kegs    |  |
| French Green Seal, per cwt       |         | \$15.00 |  |
| American, per cwt                |         | 12.00   |  |
|                                  |         |         |  |

| WHITING   | 400 lb |        |
|---|--------|--------|
|   | Bbls.  | Less   |
| Commercial, per cwt                                     | \$2.25 | \$3.00 |
| Gilders', per cwt<br>Paris White English Cliff, per cwt | 2.50   | 3.50   |
| Paris White English Cliff, per cwt                      | 4.00   | 5.00   |
| Laris white English Chir, per ewt                       | 4.00   | 0.00   |

# FRESCO COLORS IN DISTEMPER

Put up in glass jars 2¾ by 4 inches. These are pure colors, finely ground in water without glue or sizing, for fresco and scenic work or for graining purposes.

|                       | 1 | Per   | jar |
|-----------------------|---|-------|-----|
| Italian Burnt Sienna  |   | . \$0 | .33 |
| Italian Raw Sienna    |   |       | .33 |
| Italian Vandyke Brown |   |       | .33 |
| Ivory Black           |   |       | .38 |
| Rose Pink             |   |       | .45 |
| Rose Lake             |   |       | .65 |
| Turkey Burnt Umber    |   |       | .29 |
| Turkey Raw Umber      |   |       | .29 |
| Venetian Red          |   |       |     |
| Yellow Ochre          |   |       | .37 |

# WOOD FILLERS

SUNSHINE LIQUID FILLERS

A good filler for medium class work. Works easy, dries hard and sandpapers well.

Gallons... \$1.94
Half-gallons... 1.04

# PREMIUM LIQUID FILLER

(Pratt & Lambert's)

This filler has been on the market for years and has always given satisfaction. Dries hard and holds up finishing coats in good shape.

Gallons \$2.44

# RICE'S LIQUID FILLER

This filler is well known among painters. It gives general satisfaction.

|              | Per gal. |
|--------------|----------|
| Gallons      | \$1.89   |
| II-lfllong   | 1.06     |
| Half-gallons | E 77     |
| Quarts       | .07      |

# SURFACENE LIQUID FILLER (Glidden's)

A pigment liquid wood filler to be used as first coater in place of shellac.

| COMPONE DE L'ANDE | Per gal. |
|-------------------|----------|
| 1 gallon cans     | \$2.60   |
| Half-gallon cans  | .1.44    |
| Quart cans        | . 81     |

# WHEELER'S PASTE FILLER

A very high grade filler. Made from genuine silax, light οaκ, dark oak, golden οaκ, mahogany shades.

| 1   | lb. | cans |  |   |   |   |  |  |   |   |  |  |  |  |   | , per | Ib. | \$0.29 |
|-----|-----|------|--|---|---|---|--|--|---|---|--|--|--|--|---|-------|-----|--------|
| - 5 | lb. | cans |  |   |   |   |  |  | ٠ | ٠ |  |  |  |  | ٠ | . per | ID. | .20    |
| 10  | lb. | cans |  |   |   |   |  |  |   |   |  |  |  |  |   | . per | lb. | . 24   |
| 25  | lb. | cans |  | ì | i | ì |  |  |   |   |  |  |  |  |   | .per  | lb. | . 21   |
|     |     |      |  |   |   |   |  |  |   |   |  |  |  |  |   |       |     |        |

# SUNSHINE PASTE FILLER

A thoroughly high grade filler, for hard wood. It is made of the best Silica. Dries hard and will not shrink. Light, dark and golden oak shades.

1 and 2 lb. cans. per lb. \$0.22

5 lb. cans. per lb. 17½

10 lb. cans. per lb. 15½

25 lb. pails. per lb. 14

# JOHNSON'S PASTE FILLER

A first-class hardwood filler, made in five shades, Natural, Dark Oak, Antwerp, Golden Oak and Green Antwerp.

| Ant  | W  | erp. |   |   |   |   |   |   |  |   |  |  |   |   |   |    |   |      | 11  | 80 00  |
|------|----|------|---|---|---|---|---|---|--|---|--|--|---|---|---|----|---|------|-----|--------|
| 1 l  | b. | cans |   |   |   |   |   |   |  | ٠ |  |  | ٠ | ٠ | ٠ |    | ٠ | .per | lb. | \$0.23 |
| 5 1  | b. | cans |   |   |   |   |   |   |  |   |  |  |   |   |   | ٠. |   | .per | lb. | .20    |
| 101  | b  | cans |   |   |   |   |   |   |  |   |  |  |   |   |   |    |   | .per | lb. | 17     |
| 05 1 | b. | cans | • | ٠ | ٠ | • | • | • |  |   |  |  |   |   |   |    |   | per  | lb. | .16    |
|      |    |      |   |   |   |   |   |   |  |   |  |  |   |   |   |    |   |      |     |        |

# FLOOR PAINTS

SUNSHINE INTERIOR FLOOR PAINT



A quick, hard-drying, glossy finish that withstands the hardest usage. Dries over night, will stand water and scrubbing. Made in our own factory.

| Gallonseach      | \$2.61 |
|------------------|--------|
| Half-gallonseach | 1.39   |
| Quartseach       | .74    |

### SUNSHINE PORCH FLOOR PAINT

Sunshine Porch Floor Paint is made to withstand the footwear, scrubbing and chair scraping. Regular house paint would be too soft. Made in six colors.

| Gallonseach      | \$2.60 |
|------------------|--------|
| Half-gallonseach |        |
| Quartseach       | .73    |

### SUNSHINE FLOOR HARDENER

A clear liquid intended for use on hard and soft wood floors in schools, stores, offices, etc. Prevents wood from splintering and grease and dust from penetrating and discoloring the wood.

| _      |      |      |  |  |  |   |  |      |  |      |  |     |      |        |
|--------|------|------|--|--|--|---|--|------|--|------|--|-----|------|--------|
| Bbls.  |      |      |  |  |  | ÷ |  |      |  |      |  | per | gal. | \$2.15 |
| 5 gal. | cans | <br> |  |  |  |   |  | <br> |  | <br> |  | per | gal. | 2.25   |
| 1 001  | oons |      |  |  |  |   |  |      |  |      |  | per | gal. | 2.30   |

# SUNSHINE CEMENT FINISHES

All these Products Made in Our Factory.

SUNSHINE CONCRETE PAINT
For Brick and Concrete Buildings.
Interior and Exterior.

With the growing usage of concrete for structures of all kinds, the question of the right paint for this class of work is a live subject with contractors, owners and architects.

Here is a paint we know is right and we stand back of it.

Can be applied to damp surfaces and will dry and not peel off. An oil paint that dries flat and has pores that permit the cement or concrete to breathe or dry out. It's the right paint for basements, tunnels, swimming pools, stucco houses, etc. Sold in liquid form, ready for use; made in Grays, Buffs, Reds, Greens and White.

12 colors and white.

| Bblsper     | gal. \$2.40 |
|-------------|-------------|
| 5 gals per  |             |
| Gallons per | gal. 2.50   |
| ½ galper    | gal. 2.65   |

# SUNSHINE CEMENT BINDER

A clear liquid which acts as a Binder on old concrete floors that are dusting or crumbling. Should be applied to old concrete floors before paint is applied. It is not for new floors.

| 1 gal.   | cans | . \$2.00 |
|----------|------|----------|
| ½ gal.   | cans | . 1.10   |
| 1/4 gal. | cans | 60       |

### SUNSHINE CEMENT FLOOR PAINT

A liquid paint made in eight shades that is intended for concrete floors. It dries hard and is elastic and tough. Produces a glossy, durable, waterproof finish that will stand hard usage. Use Binder on old floors before applying this paint.

|     |      |       |      | <br>  | \$2.60 |
|-----|------|-------|------|-------|--------|
| 1/2 | gal. | cans. | <br> | <br>, | 1.39   |
| 1/4 | gal. | cans. | <br> | <br>  | .74    |

# **ENAMELS**

# ADELITE TINTED ENAMEL

A durable, brilliant, easy-working enamel, which dries hard in from 12 to 16 hours. Carried in white and black and 12 tints. Recommended for wood, plaster and decorative purposes.

| Gallons            | <br> |   |   |       |   |   |       |   |    | <br> |   |   | .each | \$3.94 |
|--------------------|------|---|---|-------|---|---|-------|---|----|------|---|---|-------|--------|
| Half-gallons       |      |   |   |       |   |   |       |   |    |      |   |   |       | 2.11   |
| Quarts             |      |   |   |       |   |   |       |   |    |      |   |   |       | 1.11   |
| Pints              | <br> | ٠ | ٠ | <br>٠ | ٠ | ٠ | <br>٠ | ٠ | ٠, | <br> | ٠ | ٠ | .each | . 67   |
| ½-pints<br>¼-pints |      |   |   |       |   |   |       |   |    |      |   |   |       | . 23   |

### PRATT & LAMBERT'S VITRALITE

# The Long Life Enamel

The best enamel that money and brains can produce. Made in Eggshell and Gloss Finish. Is pure white, does not turn yellow or crack and holds its lustre.

Works almost as free as paint and is more opaque than most other enamels. Suitable for interior or exterior use. Can be rubbed.

| Gallons      | \$6.00 | Pints         | \$0.94 |
|--------------|--------|---------------|--------|
| Half-gallons |        | Half-pints    | . 53   |
| Quarts       | 1.76   | Quarter-pints | .26    |

### VITRALITE ENAMEL UNDERCOATER

A free-working undercoating for enamel, superior in body, whiteness and fineness to white lead.

Becomes hard as stone, forming the ideal ground for enameling.

| Gallons      | <br> | \$3.94 |
|--------------|------|--------|
| Half-gallons | <br> | 2.10   |
|              |      | 1.13   |
| 1 111105     | <br> | . 04   |

### RIPOLIN WHITE ENAMEL

| Gallons      |  |   |   |   |  |  |  |  |  |   |  |  |  | .each | \$6.38 |
|--------------|--|---|---|---|--|--|--|--|--|---|--|--|--|-------|--------|
| 1/2 gallons. |  |   |   |   |  |  |  |  |  |   |  |  |  | .each | 3.38   |
| 1/4 gallons. |  | ٠ | ٠ | ٠ |  |  |  |  |  | ٠ |  |  |  | .each | 1.84   |
| 1/8 gallons. |  |   |   |   |  |  |  |  |  |   |  |  |  | .each | . 98   |

### SUNSHINE WHITE ENAMEL

### (Gloss)

Made in our own factory on a tested formula. A pure white lustrous enamel for interior use. Extremely tough and durable and withstands repeated washing. Will not crack or yellow and is very opaque.

| Ga | llons   |  |  |  |  |  |  |  |  |  |  |  | per | gal. | \$4. | 00       |
|----|---------|--|--|--|--|--|--|--|--|--|--|--|-----|------|------|----------|
|    | gallons |  |  |  |  |  |  |  |  |  |  |  |     |      |      | 20<br>40 |
|    | gallons |  |  |  |  |  |  |  |  |  |  |  |     |      | 4.   | 80       |

# SUNSHINE ENAMEL UNDERCOATER

Also made in our own factory.

Extremely white and opaque. Flows out without brush marks and sands easily. Forms an impervious coating of solid white that holds out succeeding enamel coats perfectly.

| Gallons     | <br>pe | r gal. \$2.75 |
|-------------|--------|---------------|
| ½ gallons   | <br>pe | r gal. 2.90   |
| 14 gallons  | <br>pe | r gal. 3.05   |
| 1/8 gallons | <br>pe | i gai. 0.00   |

# SUNSHINE BLACK CRUCIBLE ENAMEL

### (Made in our Factory)

Intended to stand extreme heat on such surfaces as boiler fronts, exhaust pipes, etc. Will stand up to 750 degrees Fahrenheit. Must be subjected to some heat to make it dry hard. Produces a jet black glossy finish.

| Gallonseach     | \$2.11 |
|-----------------|--------|
| ½ gallonseach   | 1.22   |
| 14 gallonseach  | .72    |
| 1/8 gallonseach | .41    |

# SUNSHINE FLAT BLACK ENAMEL

### (Made in our Factory)

Solid covering dull jet black finish for picture moulding, iron and wire grill work and similar wood and metal surfaces.

| Ga  | llons   |   |  |   |  |  |  |  |  |  |   |   |  |   |   |   | each   | \$2.50 |
|-----|---------|---|--|---|--|--|--|--|--|--|---|---|--|---|---|---|--------|--------|
| 1/2 | gallons |   |  |   |  |  |  |  |  |  |   |   |  |   |   |   | .each  |        |
| 1/4 | gallons |   |  |   |  |  |  |  |  |  |   |   |  |   |   |   | .each  | . 71   |
|     | gallons |   |  |   |  |  |  |  |  |  |   |   |  |   |   |   |        | . 41   |
| 16  | gallons | ٠ |  | ٠ |  |  |  |  |  |  | ۰ | ٠ |  | ٠ | ٠ | ۰ | . each | .24    |

# SUNSHINE STOVE PIPE ENAMEL

# (Made in our Factory)

Produces a smooth, glossy black finish on stove pipes, grate fronts, iron pipes and, all similar metal surfaces. Dries quick and stands the heat.

| Gallons     | <br> | <br> | <br> | .each | \$1.83 |
|-------------|------|------|------|-------|--------|
| 1/2 gallons | <br> | <br> | <br> | .each | .94    |
| 1/4 gallons | <br> | <br> | <br> | .each | . 50   |
| 1/8 gallons | <br> | <br> | <br> | .each | . 28   |
| 16 gallons  | <br> | <br> | <br> | .each | . 17   |

### SUNSHINE CHASSIS BLACK

# (Made in our Factory)

A quick drying, glossy black enamel for under parts of automobiles.

Used extensively in auto paint shops. One coat is usually sufficient on old work.

| 5 gallons.  |  |  |  |  |  |  |  |  |  |  |  | per | gal. | \$2.00 |
|-------------|--|--|--|--|--|--|--|--|--|--|--|-----|------|--------|
| 1 gallon    |  |  |  |  |  |  |  |  |  |  |  |     |      | 2.15   |
| ½ gallon.   |  |  |  |  |  |  |  |  |  |  |  |     |      | 2.30   |
| 1/4 gallon. |  |  |  |  |  |  |  |  |  |  |  | per | gal. | 2.45   |

# SUNSHINE TOP AND SEAT DRESSING

A quick drying, flexible black dressing for fabrikoid mohair, and leather that renews, preserves and waterproofs. Does not stiffen the material it is applied to.

It can also be used for producing a glossy black finish on lamps and brass parts and as a touch-up finish on auto hoods, fenders, springs, etc. Dries in 12 to 15 minutes.

| Gallonseach      | \$3.75 |
|------------------|--------|
| Half-gallonseach | 2.00   |
| Quartseach       | 1.10   |
| Pintseach        | . 65   |
| Half-pintseach   | .40    |

# JOHNSON'S FLOOR WAX

Johnson's finishes have been in use for a number of years and are favorably known by the leading floor finishers of the country.



|      |     |   |  |  |  | Eacn   |
|------|-----|---|--|--|--|--------|
| Size | No. | 1 |  |  |  | \$0.57 |
| Size | No. | 2 |  |  |  | 1.14   |
| Size | No. | 4 |  |  |  | 2.00   |
| Size | No. | 8 |  |  |  | 4.00   |

Above are same as was formerly sold as 1, 2, 4, 8-lb. cans.

Per Doz.
Auto or House-hold size.....\$3.60

# JOHNSON'S LIQUID WAX

|           |  |  |      |      |  |  |  |  |  |  |  |  |  |  |  | 34 | 0 |     | 1  |  |
|-----------|--|--|------|------|--|--|--|--|--|--|--|--|--|--|--|----|---|-----|----|--|
| Quarts.   |  |  |      |      |  |  |  |  |  |  |  |  |  |  |  | 5  | U | ٠.  |    |  |
| Pints     |  |  | <br> |      |  |  |  |  |  |  |  |  |  |  |  |    |   |     | 5( |  |
| 1/2-pints |  |  |      | <br> |  |  |  |  |  |  |  |  |  |  |  |    |   | . ; | 3  |  |

# JOHNSON'S POWDERED WAX For Dance Floors

| Large sizeeach                            | \$0.57 |
|---|--------|
| Medium sizeeach                           | . 33   |
| Small sizeeach Ball room size, 84 ozseach | 2 67   |
| Club room size, 22½ lbseach               | 16.00  |

# OLD ENGLISH FLOOR WAX

| Size | No. | 1. |   |   |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | \$1 | 0  |     | 57 |  |
|------|-----|----|---|---|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|----|-----|----|--|
| Size | No. | 2. | ٠ | ٠ | ٠ |  | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | • | ٠ | ٠ | ٠ | ٠ |     | I. | . ] | 4  |  |

# BUTCHER'S FLOOR WAX

| Size No. 1. |     |        |     |          | \$0. | . 60 |
|-------------|-----|--------|-----|----------|------|------|
|             |     |        |     |          | 1 .  |      |
|             |     |        |     |          | 2.   |      |
|             |     |        |     |          | 4 .  | .30  |
| For floor   | bru | ushes. | see | page 28. |      |      |

### DUSTLESS FLOOR OIL

For stores, warerooms, etc., which require constant sweeping.
Should not be used on fine floors.

# OXALIC ACID

For bleaching wood or removing stains.

| 201 10111111111111111111111111111111111 | Per lb |  |  |  | \$0.33 |
|---|--------|--|--|--|--------|
|---|--------|--|--|--|--------|

# S. C. JOHNSON & SON'S SPECIALTIES

# JOHNSON'S UNDERLAC

| Gallons       | <br> | \$2.78 |
|---------------|------|--------|
| Half-gallons. | <br> | 1 . 49 |
| Quarts        | <br> |        |
| Pints         | <br> |        |

### JOHNSON'S FLAT VARNISH

A hard drying dull varnish that produces a wax finish. Easy working.

|              | Each   |
|--------------|--------|
| Gallons      | \$3.22 |
| Half-gallons | 1.74   |
| Quarts       | 92     |
| Pints        | 52     |
| Half-pints   | 30     |

# JOHNSON'S AUTO CARBON REMOVER

| Quarts     |   |  |   |  |   |  |  |  |  |   |   |  |  |  |  |      |         |  | \$1 | 48 |
|------------|---|--|---|--|---|--|--|--|--|---|---|--|--|--|--|------|---------|--|-----|----|
| Pints      |   |  | ٠ |  |   |  |  |  |  |   |   |  |  |  |  |      | <br>. , |  |     | 92 |
| 1/2-pints. | ٠ |  |   |  | ٠ |  |  |  |  | ۰ | ٠ |  |  |  |  | <br> |         |  |     | 56 |

### JOHNSON'S AUTO-LAC

| Quarts. |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  | \$1 | 3 | 0 |
|---------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|-----|---|---|
| Pints   |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |     | 7 | 4 |

# JOHNSON'S BLACK-LAC

| Quarts     |  | <br> |  |  |  |  |  |   |  | <br> |  |  |  |  | . ! | \$1 | 4 | 8 |
|------------|--|------|--|--|--|--|--|---|--|------|--|--|--|--|-----|-----|---|---|
| Pints      |  |      |  |  |  |  |  |   |  |      |  |  |  |  |     |     | 9 |   |
| Half-pints |  | <br> |  |  |  |  |  | ٠ |  | <br> |  |  |  |  |     |     | 5 | 6 |

# SUNSHINE GROUND COLOR (Made in our Factory)

For first coating under color varnishes, graining colors, etc. It imitates the natural color of wood, and dries perfectly flat. Any kind of wood can be reproduced with this as a ground color to build on.

|             |  |   |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   | Lacn   |
|-------------|--|---|--|--|--|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|--------|
| Gallon      |  |   |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   | \$2.33 |
| Half-gallon |  |   |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |        |
| Quarts      |  |   |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |        |
| Pints       |  |   |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |        |
| ½-pints     |  | ٠ |  |  |  | ٠ | ٠ | ۰ | ٠ | ۰ | ٠ | ٠ | ۰ | ۰ | ۰ | ۰ | ۰ |  | ۰ | ۰ | ۰ | ۰ | .23    |

# FLOOR AND CRACK FILLERS

# GRIPPEN'S CRACK AND CREVICE FILLER

An article for which there is a large demand. Will not shrink, crack or crumble. Can be stained to match the wood. Used largely for filling cracks in old and new floors before finishing.

|   | . Oles | COMMICS | 11011 110010 | Deserve |                    |
|---|--------|---------|--------------|---------|--------------------|
| 1 | and    | 2 lb    | . cans       |         | <br>per lb. \$0.30 |
| 5 | lb. c  | ans.    |              |         | <br>per lb27       |

# S. C. JOHNSON'S CRACK FILLER

For filling cracks and crevices on floors and furniture.

|   | · · · · · · · · · · · · · · · · · · · |   |
|---|---------------------------------------|---|
| 1 | and 2 lb. Cansper lb. \$0.2           | 3 |
| 5 | lb. Cansper lb2                       | 0 |

# **GRAPHITE PAINTS**

# SUNSHINE GRAPHITE PAINT (Made in our Factory)

In liquid form.

An excellent paint for metal surfaces of all kinds. Very suitable for roofs, fences, corrugated iron castings, structural iron work, smokestacks, etc.

Most prominent engineers now consider Graphite Paints best, and most economical for this class of work. A gallon of this paint will cover approximately 400 square feet of surface two coats.

|                        | P | 'er gal. |
|------------------------|---|----------|
| Gallons                |   | .\$2.61  |
| 3 or 5 gallon cans     |   | . 2.56   |
| Bbls. (about 50 gals.) |   | . 2.44   |

# GRAPHITE DRY

| Ground very fine—carefully graded. | 100 lb. kegs. . . . . . . . . . . . . . . . . . | per lb. \$0.10 | Less quantities . . . . . . . . . . . . . . . . . | per lb. . . . . . . . . | 12

### GRAPHITE IN OIL

A superior grade of paste graphite ground in pure linseed oil.

25 and 12½ lb. cans......per lb. \$0.15

# **FURNITURE POLISHES**

# O'CEDAR POLISH

For furniture, floors and all varnished surfaces. A quick-acting polish free from injurious ingredients. Extends the life of the varnish and produces a lasting polish.

| Quarts           |    |  |  |  |  |  |  |  |   |  |     | .each | \$0.83 |
|------------------|----|--|--|--|--|--|--|--|---|--|-----|-------|--------|
| 12-ounce bottles | ١. |  |  |  |  |  |  |  |   |  | per | doz.  | 4.80   |
| 4-ounce bottles  |    |  |  |  |  |  |  |  | ÷ |  | nei | doz.  | 2.40   |

### O'CEDAR FLOOR MOPS

Triangular cotton mops made in two sizes fitted with long handles. Used for dusting and polishing hardwood floors. The mop comes treated with O'Cedar Polish and can be washed when dirty and again put in perfect condition by saturating with O'Cedar Polish.

| Size No. | 3 1.50  | (Triangular)each | \$1.11 |
|----------|---------|------------------|--------|
| Size No. | 4 1.00  | (Triangular)each | .75    |
| Size No. | 10 1.50 | (Triangular)each | 1.11   |

# LIQUID VENEER

A widely advertised furniture polish of excellent quality.

| 4  | oz  | bottles | in | carton. |  |  | <br> |  |  | .per  | doz. | \$2.40 |
|----|-----|---------|----|---------|--|--|------|--|--|-------|------|--------|
| 12 | OZ. | bottles | in | carton. |  |  |      |  |  | . per | doz. | 4.80   |

### LYKNU POLISH

| 4  | oz. |  |   |  |  |   |  |  |  |  |  |  |  |  |   | . per | doz. | \$<br>2.00 |
|----|-----|--|---|--|--|---|--|--|--|--|--|--|--|--|---|-------|------|------------|
| 8  | OZ. |  |   |  |  |   |  |  |  |  |  |  |  |  |   | .per  | doz. | 4.00       |
| 20 | OZ. |  | ٠ |  |  | ٠ |  |  |  |  |  |  |  |  | ۰ | .per  | doz. | 8.05       |

# GOLD PAINTS

# FRESCO GOLD PAINT

The highest grade bronze with an odorless enamel bronzing liquid. Produces a finish similar to genuine gold leaf. Bronze and liquid in separate bottles. Extra large box.

Per dozen boxes. \$2.25

### READY GOLD PAINT

Mixed for use, in 1 oz. bottles....per doz. \$1.15

# GLUES

# DRY GLUES

We have contracts with large glue factories that enable us to offer exceptional values. All our glues are selected for strength, color, and working qualities. Below we give brief description of each grade, and use it is intended for.

| and use it is intended for.            |       |        |
|--|-------|--------|
|  | Bbls. | Less   |
| F. F. Ground, Light Color Bone Stock;  |       |        |
| grade of sizing glue Guaranteed        |       |        |
| not to cake                            | 0.16  | \$0.18 |
| E. E. Ground, Hide Stock, Suitable for |       |        |
| cabinet work, also for picture fram-   |       |        |
| er's use. It is a light colored hide   |       |        |
| stock                                  | .18   | 20     |
| E. E. Sheet, Hide Stock. Same grade    |       |        |
| as E. E. Ground but in sheet           |       |        |
| form                                   | .28   | .31    |
| B. B. Clear, Gelatine, for kalsomining |       |        |
| and all work where good strong         |       |        |
| glue is required. It is very clear     | .33   | .36    |
| B. B. White, Gelatine, same as B. B.   |       |        |
| Clear, except white in color           | .41   | .45    |
| A. A. Clear Glue, Extra Thin Gelatine  | .45   | .50    |
| D. D. Flake. A good hide stick joiners |       |        |
| glue                                   | .44   | .48    |
|  |       |        |

# LE PAGE'S LIQUID GLUE

| 1 oz. bottles and tubesper doz. | \$1 78 |
|---------------------------------|--------|
| Gillsper doz.                   | 2.67   |
| Half-pintsper doz.              | 4.45   |
| Pintsper doz.                   | 7.56   |
| Quartseach                      | 1.11   |
| Gallonseach                     | 3.33   |

# STEEL WHEEL GLASS CUTTERS

We would not recommend cheaper wheels for practical use. These will cut glass.



# GILDERS' MATERIALS

|                             | Per     | Per    |
|-----------------------------|---------|--------|
| Hastings' XX Gold Leaf,     | pack    | book   |
| 20 books to pack            | \$14.00 | \$0.80 |
| Hastings' Patent Gold Leaf  |         |        |
| (for outside work)          | 14.50   | .85    |
| Aluminum Leaf, 51/2 inches. |         |        |
| 10 books to pack            | 3.25    | .40    |
|                             |         |        |

### SUNSHINE JAPAN GOLD SIZE

|              | Each       |
|--------------|------------|
| Gallons      | <br>\$4.50 |
| Half-gallons | <br>2.35   |
| Quarts       | <br>1.30   |
| Pints        | <br>.75    |

### PERFECTION GLASS BOARDS

Pins on front and back edges of board hold



rule to even inches, or it can be adjusted to fraction by cam device which moves the ends uniformly.

|          |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | -   | -  |         |        |
|----------|---|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|----|---------|--------|
| 24       | x | 36 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | 1 | \$1 | 7  | 4       | 0      |
| 30       | x | 48 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | ٠ |   |   |   |   |   |   |   |   |   |   |   | • | : |   | ۰ |   |   | 2   | 1  | <br>41  | 0      |
| 36       | X | 54 |   | ٠ |   |   |   | ۰ | ۰ | ٠ |   |   |   |   |   | ٠ | ٠ | ٠ | ٠ | ۰ | ۰ | ٠ | ٠ | ٠ |   | ٠ | ٠ |   | ٠ | ٠ | ٠ | ۰ | ۰ | ۰ | ۰ |   | 2   | 15 | 3.      | 5      |
| 42<br>48 | X | 60 | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ۰ | ٠ | ۰ | ٠ | ۰ | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | ۰ | ۰ |   | 2   | 7  | d t     | อ<br>5 |
| 48       | X | 12 | ۰ | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ |   | ٠ | ۰ | 0 | ۰ | ۰ | ۰ | ٠ | ٠ |   | ۰ | ۰ | ۰ | ۰ | 0 | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | 0 | ۰ | * | ۰ | ۰ |   | ٠   |    | <br>0 1 | U      |

# GLAZIER'S POINTS

Van Reypers, for greenhouse use, 1000 points in package.....per package \$0.75 Nos. 000, 00, 0, 1, 2, 3, Zinc Coated...per lb. .24


# LADDERS AND TRESTLES

# TITE-RUNG EXTENSION LADDERS

All our straight and extension ladders are made according to our own specifications. Nothing but clear Norway pine is used for side rails and hickory or ash for rungs. They are just the right weight to give adequate strength without being too heavy to handle conveniently. The ends of all rungs are dipped in Carbolineum, a wood preservative, to prevent decay.

# OUR SPECIAL FEATURE

The rungs are made with a shoulder that is countersunk 3-16 inch into the side rail. This gives the full strength of the rung without weakening the side rail and the shoulder on rung prevents side sway. See illustration.




Made with shouldered rung countersunk in side rail as described above. Ends of rungs dipped in wood preservative. Fitted with automatic hook. Lengths, 24, 26, 28, 30, 32, 34, 36, 38.

# COMMON STRAIGHT LADDERS

Made same way as extension ladders. Lengths, 10, 12, 14, 16, 18, 20, 22, 24 ft.per ft. \$0.34

# SCAFFOLDS

TILLEY SCAFFOLDING JACKS




For painters, plasterers, and metal ceiling workers.

Two pieces required to make a horse.

| No. 7—Adjusts from 5 to 8 ft., each            | ce<br>00 |
|--|----------|
| No. 8-Adjusts from 6 ft. to 9 ft. 6 in 6.      | 50       |
| No. 9—Adjusts from 7 ft. to 11 ft 7.           |          |
| No. 12-Adjusts 5 to 8 ft., heavier than Nos. 7 |          |
| and 8 6.                                       | 60       |
| No. 15-Adjusts from 8 ft. to 12 ft. 6 in 8.    | 25       |
| Circulars and description sent on application. |          |

# CLEVELAND LADDER JACKS



Outside.

Made of best wrought iron—light, strong and practical. This type of bracket has been used for years and found most successful.

Per pair.....\$3.75

# TITE-RUNG PAINTERS' TRESTLES

Length 6, 7, 8, 10, 12, 14, 16. per ft. \$0.21

Charge is made for both sides, i. e., 6 ft. size charged as 12 ft. of trestle, etc.

# TILLEY'S OPEN-TOP DECORATOR



This is without doubt the strongest stepladder of its weight on the market.

There is an iron knee and brace under the ends of each step, which passes down through the step and out through the side piece and is riveted at each end, thereby forming both tie and brace, also has extra iron braces under the bottom step. The back legs fold over the sides or front part, occupying but little space. Particularly adapted for paper hanging, decorating, or when a light, strong stepladder is required.

# SWING STAGING HOOK

# EXTENSION PLANKS


| No. 1—6 ft. closed, 10½ ft. extended, 11½ inches wideeach | \$4.85 |
|---|--------|
| No. 2—8 ft. closed, 13½ ft. extended, 11½ inches wideeach |        |
| No. 3-10 ft, closed 151/2 ft, extended, 111/2             |        |
| inches wideeach   | 8.10   |

# GEM RODDED STEP LADDER



Made of selected clear Yellow Pine with hardwood steps. Every step is braced with steel rod underneath. Hinges, braces and ears are pressed steel. A good serviceable ladder in every way.

### ADJUSTABLE SAFETY ROOF HOOK



Each...... \$0.45

# BURNISHINE METAL POLISH



The best known liquid polish on the market for brass, nickel and silverware. Does not scratch.

| Fc | ur-oz. cans, per doz\$1.20                |  |
|----|---|--|
|    | Each                                      |  |
| H  | alf-pint tin cans, 3 doz, in case, \$0.15 |  |
| Pi | nt tin cans, 2 doz. in case24             |  |
|    | art tin cans, 1 doz. in case42            |  |
|    | olf-gal, tin cans, 1 doz, in case .72     |  |
|    | ne gal. tin cans, ½ doz. in case 1.20     |  |

### LYE

| Washington, High Test,  | per case of 4 doz | \$5.50 |
|-------------------------|-------------------|--------|
| Washington High Test, l | ess, per doz      | 1.50   |

# SUNSHINE HOUSE PAINT

OUR BEST QUALITY FOR EXTERIOR

Made in our factory



White and tints made on a formula of pure white dad, zinc oxide and reinforcing pigments combined in the right proportion, pure linseed oil, dryers and thinners. Solid colors made with full strength colors and same liquids as white and tints. SUNSHINE PAINT has been used and time tested under all exterior conditions and has proven to give absolute satisfaction.

It is superior to hand mixed lead and oil because of the combination of pigment used, its uniformity and being machine ground.

Send for color card and further particulars.

| Ordinary Shades.      | Per. gal. |
|-----------------------|-----------|
| Five-gallon kits      | \$2.55    |
| One-gallon cans.,     | 2.60      |
| Half-gallon cans      | 2.75      |
| Quarter-gallon cans   | 2.90      |
| T 1 1 1 1- 3771 14 17 |           |

Inside and outside Whites 15 cents per gallon higher.

Medium Green, Chroma Yellow, 40 cents net gallon higher.

Cherry Red, 75 cents net per gallon higher.

### "FADELESS GREEN" PAINT

It is not only non-fading but is also waterproof and durable. It costs no more than other high grade paints in ordinary shades. It is put up in liquid form ready for use, in six shades. Send for color card.

| 1 gal. cansper gal. | \$3.00 |
|---------------------|--------|
| ½ gal. canseach     | 1.60   |
| 1/4 gal. cans each  | . 85   |

# RIVERSIDE HOUSE PAINT

(Second Quality Linseed Oil Paint)

Made in our Factory



A good quality house paint containing less of the more expensive materials and therefore sold at a popular price. It's as good as many so-called high grade paints, but it's our second best.

Riverside paint has good body and covering qualities and will give satisfactory service on interior and exterior work where the best is not required.

Made in 22 colors and white and black.

|                                |         |          |         | Ins. Wh. |
|--------------------------------|---------|----------|---------|----------|
| 5 gal cans, per gal            |         |          | \$2.10  | \$2.20   |
| I gal. cans, per gal           |         |          | 2 15    |          |
| 1/2 gal. cans, per gal         |         |          | 2.30    | 2.40     |
| Wd. Blind Green 40 lar colors. | c per g | gallon r | nore th | an regu- |

# BARN PAINTS PERMATONE BARN AND METAL PAINT Made in our factory

Made from the best pigments, linseed oil and waterproofing liquid. This paint will form a hard-drying, elastic, waterproof film of unusual protective and wearing value. There are very few barn and metal paints on the market today that are as durable and economical to use as this product. Made in 6 shades— Red, Maroon, Brown, Gray and two Greens.

| Red, Maroon and Brown, bblsper gal.           | \$1.80              |
|---|---------------------|
| ½ bblsper gal.                                | 1.85                |
| 5 gals per gal. 1 gal per gal.                | $\frac{1.90}{1.95}$ |
| Gray and Greens, 25 cents per gallon advance. | 1.90                |

# RIVERSIDE BARN AND TINNERS RED Made in our factory

A bright red oxide paint made on a linseed oil base with other oils added to reduce cost without materially affecting wearing qualities. We believe this is better than the average medium grade barn red.

| Bblsper gal.                                | \$1.28 |
|---|--------|
| ½ bblsper gal.                              | 1.33   |
| 5 galsper gal.                              | 1.44   |
| 1 gal per gal.                              | 1.50   |
| ½ galsper gal.                              | 1.67   |
| ¼ galsper gal.                              | 1.83   |
| Gray, 55 cents per gallon advance over Red. |        |

# **DUREDEC FLAT WALL FINISH**

WASHABLE LINSEED OIL PAINT

Made in our factory



Produces a rich velvety fresco effect, having all the durable qualities of oil paint. It is non-poisonous and holds its color. Spreads and works very easy under the brush, flowing out without brush marks and has wonderful opacity.

Linseed Oil is the best vehicle for paints and by special treatment a uniform flat effect paint is produced with a maximum of oil utilized which gives this paint its washability, durability and easy working qualities. Contains 25% linseed oil whereas most flat paints carry much less.

LABOR COST FOR APPLYING DUREDEC is exceptionally low for two reasons: First—easy working feature—more paint per hour per man. Second—it does not splash or spatter like most flats, permitting faster work. Less time required for wiping off woodwork, floors, etc. These features make it especially desirable for use in occupied rooms, stores, etc.

Made in twelve beautiful tints and white.

| Bbls   | per     | gal. \$2.30            |
|--------|---------|------------------------|
|        | per     | gal. 2.35              |
|        | per     |                        |
| 1 gal  | <br>per | gal. 2.50<br>gal. 2.65 |
| ½ gals | <br>per | gal. 2.80              |

# DUREDEC SEALER

A treated oil liquid intended to be mixed with Duredec Flat Wall Finish in proportions of ½ to ¾ gallons of sealer to a gallon of paint for first coating on new walls. Stops suction and hermetically seals the surface for succeeding coats of paint. By using this liquid as prescribed, sizing and first coat are applied in one operation.

| 5 gals | <br>each | \$1.72 |
|--------|----------|--------|
| 1 gal  | <br>each | 1.83   |
| ½ gals |          | 1.00   |
| ¼ gals | <br>each | . 56   |

# DUREDEC MILL WHITE

(Gloss and Flat)

# FOR FACTORIES, GARAGES, BASEMENTS, ETC.

A pure white durable finish for interior of factories, stores, bakeries, garages, etc. Can be applied to large surfaces with the same ease as outside house paint and gives a tile-like effect that holds its whiteness to a remarkable degree and retains its original finish almost indefinitely. Washable and durable.

Use Flat Mill White for undercoater for Gloss Mill White. On unpainted plaster, wood or concrete, add Duredec Sealer in first coat.

|                | Flat   | Gloss  |
|----------------|--------|--------|
| Bblsper gal.   | \$2.25 | \$2.50 |
| ½ bblsper gal. | 2.35   | 2.60   |
| 5 galsper gal. | 2:45   | 2.75   |
| 1 galper gal.  | 2.50   | 2.85   |

### KEYSTONA PREPARATORY LIQUID

An oil and varnish size for use in connection with Keystona. One-half gallon preparatory liquid mixed with one gallon Keystona makes ideal first coat that covers well and seals the surface.

| 5 | gallon | cans | <br>per | gal. \$2.00 |
|---|--------|------|---------|-------------|
| 1 | gallon | cans | <br>per | gal. 2.11   |

# KEVETONA

Produces a rich velvety fresco effect with the durability of oil paint. It is non-poisonous, and holds its color. Works easy and levels out without showing laps or brush marks.

Because the binder is linseed oil, it is washable and is more economical to use than other flat paints. It has phenomenal spreading qualities. It is more opaque than white lead. It is the ideal coating for interior walls and ceilings in public buildings, hotels, hospitals, schools, residences, etc. Also makes an excellent undercoating for enamel.

Made in many beautiful tints and colors. Also black and white. Send for color cards and book "Nature's Harmony" that shows color schemes and gives other valuable information.

| nite |
|------|
| nd   |
| lors |
| 2.66 |
| 2.78 |
| 46   |
| 79   |
| . 63 |
| 2    |



# RICE'S BARRELED SUNLIGHT ORIGINAL MILL WHITE

Made in Gloss, Eggshell and Flat finish. A very e-working interior oil paint that stays whiter than any other oil paint. For factories, dairies, stores, bakeries, etc. Will not flake or scale. Washable as tile and lasts indefinitely.

| the and lasts indennitely.                   |          |
|--|----------|
|  | Gloss,   |
|  |          |
|  | Eggshell |
|  | and Flat |
| Undercoater                                  | Finish   |
| Bblsper gal. \$2.25                          | \$2.50   |
| ½-bblsper gal. 2.35                          | 2.60     |
| /2 DDID::::::: Por Barr                      | 3.34     |
| o gui. cumb                                  |          |
| 1 gal. cans                                  | 3.56     |
| Write for full particulars and specification | as       |
| Trice for fall per creating contract of      |          |

# LEAD AND WHITES

# MATHESON WHITE LEAD

# Strictly Pure

This is pure carbonate of lead, ground impalpably fine in linseed oil. It will take more oil to the hundred pounds than old dutch process lead. It is whiter and spreads farther. It is fully as durable as other lead carbonates.

|   | rer ID.   |
|---|-----------|
| 100 lb, kegs                              | \$0.121/4 |
| TO II, ROBDITITION IN THE PROPERTY OF III | 1914      |
| 50 lb. and 25 lb. kegs                    | 1472      |
| 12½ lb. kegs                              | 123/4     |
| 500 lb lots and over less 10%.            |           |

# OTHER STRICTLY PURE BRANDS

| Per Ib.   |
|-----------|
| 100-lb.   |
| Kegs      |
| .\$0.1214 |
| 121/4     |
| 121/4     |
| e net.    |
|           |
|           |
|           |

### SUNSHINE WHITE

We are enthusiastic in our endorsement of Sunsine White. Paint made from Sunshine White and pure linseed oil will not chalk. It works easy and covers a maximum amount of surface. A hundredweight will take about 2 gallons more oil than pure lead.

| Per lb. in | 100 lb. | kegs.  |      | <br> | .\$0.101/2 |
|------------|---------|--------|------|------|------------|
| Per lb. in | 25 and  | 50 lb. | kegs | <br> | 103/4      |

### NEWCASTLE WHITE

# OILS

|            |                 | Bbls.  |        |
|------------|-----------------|--------|--------|
| Turpentine | and Linseed Oil | market |        |
| Rubbing Oi | lper gal.       | \$0.32 | \$0.40 |
| Gloss Oil  |                 | .60    | .70    |

Containers extra in less than barrel or half-barre lots. See prices on page 6.

# SIPES JAPAN OIL

Sipes AA Extra Japan Oil.
Less than Bbl. or ½-bbl. quantities cans charged extra. See page 6.

| ½ bbls | per gal. per gal. per gal. | \$0.88<br>.93<br>.98 |
|--------|----------------------------|----------------------|
|        | SIPES ENAMEL OIL           |                      |
|        | per gal.                   | \$1.63<br>1.73       |

# TURPENTINE SUBSTITUTES

| TT C ' ' (T) C b                   | Drums  | Less   |
|------------------------------------|--------|--------|
| XX Spirits (Turpentine Substitute) | \$0.40 | \$0.45 |
| Substitute)                        | .50    | .55    |

Less than Bbl. or ½-bbl. quantities cans charged extra. See page 6.

Both of these materials are ideal thinners and are equal to pure turpentine for practically every purpose for which a painter uses turpentine. They are non-injurious to paints, and evaporate a trifle slower than pure turpentine, thereby giving easier spreading power to the paint and better penetration. The only difference between XX Spirits and Sunshine Thinner is that the latter contains a sufficient percentage of wood turpentine to give it the turpentine odor. Send for samples.

# PUTTY KNIVES AND SCRAPERS

PUTTY KNIVES



|  | Dos.   | Each   |
|--|--------|--------|
| No. 100 Fair Quality, Stiff Blade                                      | \$1.28 | \$0.13 |
|  |        |        |
| No. 303 Cocobola Handle, Stiff Blade.                                  | 2.50   | .25    |
|  |        |        |
| No. 33 Cocobola Handle, Stiff and Elas-                                | ~      |        |
| tio  | 5.17   | .52    |
| N. 1100 Dates Which Caid Diede   |        |        |
| No. 1100 Extra Thick Stiff Blade,<br>Chisel Edge, made for rough usage | 4 72   | .47    |
| Oliber Edge, made to: 10482 4586                                       |        |        |
| No. 1050-Extra wide. The proper  |        |        |
| tool for following a torch for re-                                     |        |        |
| moving paint. Blade is 2 in.   |        |        |
| wide by 3% in. long. Solid steel                                       | ~ 0.4  | =0     |
| bolster, cocobola handle   | 5.94   | .59    |
| N. 00 Carabala Handle Califf and                                       |        |        |
| No. 80 Cocobola Handle, Stiff and<br>Elastic, Steel Bolster            | 5.83   | . 58   |
| Ellastic, Decel Dolstel  | 0.00   | . 00   |


# SCRAPING KNIVES

No. 52—Made of well tempered steel, riveted flush bolsters, cocobola handles:

|                |       | Each   |
|----------------|-------|--------|
| 2½ in. width\$ | 9.50  | \$0.95 |
| 3 in           | 10.72 | 1.05   |
| 3½ in          | 12.22 | 1.20   |
| 4 in           | 13.72 | 1.35   |

# GRAINING TOOLS.

# GRAINING ROLLS



Any painter can do good graining with a set of these.

| Per set of three          |           | <br> | <br>\$0.75 |
|---------------------------|-----------|------|------------|
| Single Rolls, 5 in., eac  | h         | <br> | <br>.20    |
| Single Rolls, 8 in., eac. |           |      |            |
| Stain Floor Grain Too     | ls, each. | <br> | <br>.36    |

### CHECK ROLLER

| For   | grainers' | use. |   |
|-------|-----------|------|---|
| Each. |           | ,    | 6 |

# GRAINING COMBS



English Blue Steel, 30 inch in set. Each set consists of 12 combs, 3 of each width, 1-inch, 2-inch, 3-inch and 4-inch and assorted in 3 sizes of teeth.

# RIDGELY FLEXIBLE GRAINERS



The complete set of Ridgely Flexible Grainers consists of five tools as shown, from among which one can always be selected that is exactly adapted for the work in hand.

| Per set       |      |  |  |  | <br> |  | <br> |  |      |  |  |  | . 5 | 51. | 50  |
|---------------|------|--|--|--|------|--|------|--|------|--|--|--|-----|-----|-----|
| Single tools, | each |  |  |  |      |  |      |  | <br> |  |  |  |     | . 3 | 3.5 |

### PAINTERS' DROP CLOTHS

Well made, heavy mustin cloths that will stand repeated washings.

|              |       |      | A # O # |
|--------------|-------|------|---------|
| Size 13 x 15 | feet. | each | \$5.25  |



### PAINT BURNERS

Our burners
have powerful
generators
which produce
a strong, clear,
blue flame, using
very little gasoline.
They are light and
well balanced. Fully
guaranted.

Weil Dalanteed. Fully guaranteed. Each No. 122, Pint size.......\$5.75
No. 209, Quart size...... 7.30
No. 1, Quart size...... 6.85
No. 31 Quart size...... 6.85

### PLASTER OF PARIS

Dental Plaster—a fine grade. Very white and suitable for the best class of work.

| 220 lb. | bbls    | <br> | <br>per bbl. | \$7.25 |
|---------|---------|------|--------------|--------|
| Less th | an bbls | <br> | <br>per lb.  | .05    |

### RUTLAND PATCHING PLASTER

Dry powder ready for use with addition of cold water. Used for patching walls, floors, woodwork, etc. Sets slower than plaster paris and does not shrink.

|                             | Case lots | Less   |
|-----------------------------|-----------|--------|
| Size 3 about 3 lbsper doz.  | \$1.92    | \$2.10 |
| Size 5 about 5 lbs per doz. | 3.20      | 3.50   |
| Size 8 about 8 lbsper doz.  | 4.48      | 4.95   |

Size No. 3, two dozen to case. Sizes 5 and 8 one dozen to case.

# PAPER HANGER SUPPLIES

RIDGELY TRIMMERS OUTFITS
AND PARTS



# MODEL D (The Latest)

| 6 ft. Outfit 5pc No. 4, Ruled Edge and Zinc \$   | 6 20 |
|--|------|
| 7 ft. Outfit 5pc No. 4, Ruled Edge and Zinc      | 6.55 |
| 8 ft. Outfit 5pc No. 4, Ruled Edge and Zinc      | 7.00 |
| 6 ft. Outfit Steel Center Straight Edge and      |      |
| Zinc.  | 6.85 |
| 7 ft. Outfit Steel Center Straight Edge and Zinc | 7 25 |
| 8 ft. Outfit Steel Center Straight Edge and      | 1.00 |
| Zinc   | 7.85 |
|  | 2.90 |
| Extra Blades                                     | .45  |
| 3 in. Zincs at 6, 7 and 8 ft. Length             | .40  |
| 4 in. Zincs at 6, 7 and 8 ft. Length             | . 55 |

|    |     |                      | -      |  |  |    |      |      | lo. 4<br>Ruled | No.10<br>Steel<br>Center |
|----|-----|----------------------|--------|--|--|----|------|------|----------------|--------------------------|
| 67 | ft. | Straight<br>Straight | Edges. |  |  | ٠. | <br> |      | \$3.40         | \$3.90<br>4.40           |
| 8  | ft. | Straight             | Edges. |  |  |    | <br> | <br> | 4.00           | 4.90                     |

We have Ridgely's latest style ruled straight edge showing inches, halves and quarters. This is style No. 4.

# COMMON STRAIGHT EDGES

| Made of 5     | pieces, well | selected | stock. |        |
|---------------|--------------|----------|--------|--------|
| No. 6-7 ft. 1 | ong          |          | each   | \$1.10 |

### HINGED PASTE BOARDS

| Made quality.            | of | well | seasoned | clear | whitewood. | Best           |
|--------------------------|----|------|----------|-------|------------|----------------|
| 7 ft. long<br>8 ft. long |    |      |          |       | per pair   | \$3.25<br>3.75 |

# PATENT PAPERHANGERS'



Miller style......per pair \$1.95

# ADJUSTABLE FOLDING PASTE



Set up ready for use.

### PAPER HANGERS' SHEARS



# CEFCO P. H. WALL SIZE



Cefeo is a size of extraordinary strength and adhesiveness for use in preparing almost any kind of surface for Wall Paper, Burlap, Lincrusta and other heavy wall coverings. It is a germ destroyer and never becomes brittle. A cupful added to a pail of paste will hold anything. Applied as a size it shows up the hot spots on plaster. If only a small amount of alkali is present it will neutralize it.

### MURALO WALL SIZE

1 lb. pkgs.....each \$0.35 Box of 10 pkgs.....each .32½

# PAPERHANGERS' PASTE

Wet Paste Barrels, about 250 lbs....per bbl. \$6.00 STEKO DRY PASTE—One pound of this powder makes one gallon of heavy paste that is equal to steam paste in every respect. More convenient to handle and more economical than steam paste. Costs more than other dry pastes but goes much further and is better.

### WALL PAPER CLEANER

|           | 10 lb.    | 1 lb.   | 1 lb.  |
|-----------|-----------|---------|--------|
|           | Per       | Per     | Per    |
|           | Lb.       | Gross   | Doz.   |
| Cleveland | \$0.131/2 | \$14.00 | \$1.20 |
| Climax    | . 13 1/2  | 14.00   | 1.20   |
| Muro      | . 11      | 13.80   | 1.10   |

# PAPER HANGERS' KNIVES

|        |         | Doz.   | Each   |
|--------|---------|--------|--------|
| No. 50 | Russell | \$5.83 | \$0.60 |
| No. 40 | Russell | 6.94   | .70    |



| Doz.                              | Each   |
|-----------------------------------|--------|
| No. 2 Round End\$3.50             | \$0.35 |
| No. 02 Square End 3.50            | .35    |
| No. 6 Square End (Ridgely's) 4.27 | .45    |

# RIDGELY'S PAPER HANGERS' KNIFE No. 5



Square point only.

| Blade    | 3 | in. | x | 13/8 | in., | heavy | steel | maple | handle. |
|----------|---|-----|---|------|------|-------|-------|-------|---------|
| Each     |   |     |   |      |      |       |       |       | \$0.45  |
| Per doz. |   |     |   |      |      |       |       |       | 4.27    |



| Doz.                                  | Each   |
|---------------------------------------|--------|
| No. 8 Wheel Knife, has patent device  |        |
| for keeping paste off the knife\$8.50 | \$0.85 |

# Paper Hangers' Tools

P. H. WHEEL KNIVES



No. 9 Base Trimmers, 13/8 serrated blade, set bias, iron handle.....\$7.06



Doz. Each No. 11 Wheel Knife, 2 inch plain blade, short bevel, polished maple \$0.65

handle.....\$6.67

Each No. 10 Casing Knife, 1% serrated blade, polished maple handle, 0.60 double shoulder.....\$6.28



Each No. 06 Trimming Knife, 2 in. plain \$0.60 blade, double shoulder . . . . . . . . \$5.94

# PAPER HANGERS' ROLLERS



Each No. 17 Maple Oval or Flat Roller, 2 in.....\$5.17 \$0.50



Each Doz. No. 14 Rosewood Roller, 2 in.....\$5.56 \$0.55



Each Doz. No. 12 Rubber Tire, Flat, 1 in . . . . . \$4.83 \$0.50 .50 No. 20 Hard Rubber, Flat, 1/2 in.... 5.06



|   | Doz. Each |
|---|-----------|
| No. 225 Celluloid Side Arm, 11/4 in beveled |           |
| No. 226 Celluloid Side Arm, 11/2 in         | 4         |
| Flat  |           |
| No. 2 Felt Covered, 9 in                    | 1.30      |

# PAINT AND VARNISH REMOVERS

# ADELITE PAINT AND VARNISH REMOVER

(Liquid and Semi-Paste)

The standard neutral paint and varnish remover. Contains no acids or alkalies; is non-injurious to hands. Removes all coatings quickly and efficiently, leaving the surface in perfect condition to refinish. A cheaper and better method for removing varnish, shellacs, etc., than burning or scraping. The semipaste stays wet about 24 hours.

|                              | Each   |
|------------------------------|--------|
| Gallons                      | \$2.00 |
| Half-Gallons                 | 1.12   |
| Quarts                       | 64     |
| Pints                        | 36     |
| Half-Pints                   | 24     |
| Special prices in case lots. |        |

# LINGERWETT PAINT AND VARNISH REMOVER

Same prices as above listed removers.

See page 22 for McAdams Paint and Varnish Remover

# SOAPS AND CLEANERS

# OIL SOAP

A preparation containing linseed oil. Used for cleaning and polishing varnished surfaces. Positively neutral, cuts grease. An excellent soap that will not injure finely finished surfaces.

|                         | Per lb.   |
|-------------------------|-----------|
| 1's                     | \$0.26    |
| 5's                     | .23       |
| 10's                    | .221/2    |
| C W G & D Co Motor Soan |           |
| 100 lb. kegs            | \$0.121/2 |
| 250 lb, half-barrels    | .111/2    |
| 500 lb. barrels         | . 10      |

# FLASH HAND SOAP

A combination of white neutral soft soap and pumice. Removes grease and dirt quickly and will not injure the skin.

|                                       | Doz.   | Each   |
|---------------------------------------|--------|--------|
| 15c size, 14 oz. cans, 3 doz. in case | \$1.25 | \$0.12 |
| 30c size, 30 oz, cans, 3 doz. in case | 2.50   | .24    |

# SOAPS and CLEANERS—Continued ABOLITION

A very efficient and non-injurious cleaner for flat paints, enamels, gloss paints, varnishes, etc. Quickly cuts the dirt and does not injure the finish or dull the lustre of varnish or enamel. Very economical. A teaspoonful makes one gallon of cleansing solution. Send for sample.

| 3/4 | lb. packageseach                          | \$0.13 |
|-----|---|--------|
| 3/4 | lb. packages, in case lots of 48 packages |        |
|     | per case                                  | 5.50   |

### KEYSTONE CLEANER

A paste. Easily and quickly removes grease, dirt, finger, pencil and ink marks, stains, etc. from all painted, varnished and enamel surfaces.

| Gallon   | pailseach | \$3.12 |
|----------|-----------|--------|
| 1/2 gal. | pailseach | 1.67   |
| 1/4 gal. | canseach  | .92    |
| 1/8 gal. | canseach  | . 50   |

### PRESTO PIPE CLEANER

For removing obstructions from drains and sewer pipes, caused from grease, paper, hair, etc.

| Doz    |  |  |  |  |  |  |  |  |  |  |  |  | ٠ |  |  |  | 8 | 4 | 5   | 0 |
|--------|--|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|---|---|-----|---|
| Each   |  |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |   |   | . 4 | 0 |
| Packed |  |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |   |   |     |   |

### SAVABRUSH

### Cleans Old Brushes

It makes no difference whether brushes have been used in paint, varnish or shellac or how long they have stood. The solution does not affect the bristles but softens the paint so that it may be readily removed with soap and warm water.

|                           | Case Eac     | eh. |
|---------------------------|--------------|-----|
| 1 lb. pkgs                | \$10.80 \$0. | 50  |
| ½ lb. pkgs                |              | 30  |
| Packed 2 doz to the case. |              |     |

### SPONGES



We use great care in selecting our sponges and guarantee true standard grades in each variety. All pure, free from grit. We sell them by the piece because value can be more accurately judged than when sold by weight. Sent subject to return if not satisfactory.

# ROCK ISLAND SHEEP WOOL FORMS

| I  | Each   |
|--|--------|
| Deep Sea, 4 to 6 size-7" Diam. (Approxi-     |        |
| mately)                                      | \$1.85 |
| Middle Range, 6 to 8 size—6" Diam. (Ap-      |        |
| proximately)                                 | 1.35   |
| Deep Sea, 8 to 10 size—5½" Diam. (Ap-        |        |
| proximately)                                 | 1.10   |
| Deep Sea Sponges are the most durable and    | d wear |
| much longer than ordinary sheep wool grades. |        |
| Rock Island Sheepwool Cuts - (Middle B       | tange) |
| 8 to 10 size—6½" Diameach                    | \$0.85 |
| Cuba Velvet Cuts                             | 00 70  |
| 6 to 8 size—7" Diameach                      | \$0.50 |
| Yellow Forms                                 | .30    |
| Mandrus                                      | .20    |
| Bleached Sponges                             | .00    |
| Special prices on full bales.                |        |

# SUNSHINE SCREEN PAINT Made in Our Factory

| Black |       | ½ gals. | Qts.<br>\$0.50 | Pts.<br>\$0.30 | ½ Pts<br>\$0.20 |
|-------|-------|---------|----------------|----------------|-----------------|
| Diack | Ø1.00 | 00.01   | \$0.00         | .00            | 40.20           |

### JAPALAC

A first-class Floor Varnish made in the Natural Color and Oak, Mahogany, Cherry, Walnut, Malachite Green, Ox Blood Red, Empire Blue, Gloss White, Brilliant and Dead Black, and Ground Color. Can be used on floors, furniture, and all interior wcodwork. Send for color card.

All sizes from 1/4 pints to gallons carried in stock. Write for prices.

# SIGN WRITERS' SUPPLIES

# SIGN PLATES

|             |          |     |       | Each   |
|-------------|----------|-----|-------|--------|
| Japanned Ti | ns, 10 x | 14, | Light | \$0.15 |
| Japanned Ti | ns, 10 x | 14, | Heavy | .20    |
| Japanned Ti | ns, 12 x | 17, | Heavy | . 30   |

# SMALTS

### (E. B. Estes & Co.'s) Best Grade

|                                   | 50 lb.<br>boxes | Less      |
|-----------------------------------|-----------------|-----------|
| Ex. Velvet Black                  | \$0.071/4       | \$0.081/2 |
| Ex. Raven Black                   | .08             | . 09      |
| Ult. Blue, Maroon and Chr. Green. | .10             | .11       |

# MISCELLANEOUS

| Crushed Pearlper lb.  | \$1.00 |
|-----------------------|--------|
| Aurora Pearlper lb.   | 4.00   |
| White Frostingper lb. | . 50   |
| Diamond Dustper lb.   | . 60   |

# STENCILS



We have new and original designs. Catalogue and prices sent on application.

# SUNSHINE

# ASBESTOS ROOF COATING

(Made in our Factory)



Our SUNSHINE ASBESTOS ROOF COATING offers the quickest, least expensive way to repair or completely re-cover old roofs of wood, metal, tar and gravel, composition, paper, canvas or concrete.

Factory or farm help can successfully apply our Sunshine Asbestos Roof Coating at light labor cost.

The semi-liquid is quickly applied with a long-handled brush, and the plastic with a spreader or trowel.

Application is made directly over the old roofing material without the expense and delay in removing it

The result is a NEW ONE-PIECE ROOF, which will remain watertight and weatherproof for years.

### Semi-Liquid

| B  | bls   |   |   |   |  |   |  |  |  |  |  |  |   |  |   |    | per | gal. | \$0.80 |
|----|-------|---|---|---|--|---|--|--|--|--|--|--|---|--|---|----|-----|------|--------|
| 1/ | bbls. |   | ٠ | ۰ |  |   |  |  |  |  |  |  |   |  |   |    | per | gal. | . 85   |
|    | gals  |   |   |   |  |   |  |  |  |  |  |  |   |  |   |    |     |      | 1.00   |
| 1  | gal   | ٠ |   | ٠ |  | ٠ |  |  |  |  |  |  | ٠ |  | ٠ | ١, | per | gal. | 1.10   |

# Plastic

| Bbls   | <br>  | per lb. \$0.08         |
|--------|-------|------------------------|
| ½ bbls | <br>] | per lb08½<br>per lb09½ |
|        |       |                        |
| 25 lbs | <br>  | POL ADI I AO           |
| 10 lbs | <br>  | per lb11               |
| 5 lbs  | <br>  | per lb11½              |

(For Roofing Brushes See Page 33)

# CHAMPION BLACK ROOF PAINT

A medium grade glossy black paint for wood, felt, paper and metal roofs.

| В | bls. |      |    |  | <br> |  |  |  |  |  |  |  | .] | po | er | gal. | \$( | 0.40 |
|---|------|------|----|--|------|--|--|--|--|--|--|--|----|----|----|------|-----|------|
| 5 | gal. | can  | 3. |  | <br> |  |  |  |  |  |  |  |    | p  | er | gal. |     | . 50 |
| 1 | gal. | cans | 3. |  | <br> |  |  |  |  |  |  |  |    | p  | er | gal. |     | . 60 |

# COMMON ROOF PAINT

Refined Black Coal Tar, used for painting wood' felt and metal roofs.

| Bbls     |       | <br> | <br> | <br> | <br>. per | gal. | \$0.30 |
|----------|-------|------|------|------|-----------|------|--------|
| Less-can | extra | <br> | <br> | <br> | <br>.per  | gal. | .40    |

### ROSIN

| Full | barrels            | Market |
|------|--------------------|--------|
| Less | than barrelper lb. | \$0.12 |

# McADAMS X CELL-ALL PAINT AND VARNISH REMOVER

A neutral paint and varnish remover that quickly removes all coatings and leaves surface in good condition to refinish.

| 1   | gal. | <br> |      |  |   |  |  |   |  |  |   |  |  |  |  |  |  |  | \$1.60 |
|-----|------|------|------|--|---|--|--|---|--|--|---|--|--|--|--|--|--|--|--------|
|     |      |      |      |  |   |  |  |   |  |  |   |  |  |  |  |  |  |  | .92    |
| 1/4 | gal. | <br> |      |  |   |  |  |   |  |  |   |  |  |  |  |  |  |  | .55    |
| 1/8 | gal. |      | <br> |  |   |  |  | ٠ |  |  | ٠ |  |  |  |  |  |  |  | .32    |
| 16  | gal. | <br> |      |  | ٠ |  |  |   |  |  |   |  |  |  |  |  |  |  | .20    |

# POLISHING MATERIALS

# PULVERIZED PUMICE

 $\begin{array}{c} \text{Italian pumice, of uniform texture} \\ 100 \text{ lb.} \\ \text{Pulverized Nos. FFF, FF, F. 0, Bbl. lots} \\ 100 \text{ lb.} \\ 100 \text{ lb.} \\ 100 \text{ lots} \\ 100 \text$ 

# LUMP PUMICE

| BB Qualityper lb. | Bbl.   | lots   | Less   |
|-------------------|--------|--------|--------|
|                   | \$0.28 | \$0.30 | \$0.35 |
|                   |        |        |        |

# ROTTEN STONE

|                   |        | 100 lb. |        |
|-------------------|--------|---------|--------|
| Pulverizedper lb. | Bbl.   | lots    | Less   |
|                   | \$0.05 | \$0.06  | \$0.07 |

# RUBBING FELT

| Hard and |           |         |          |           |          |
|----------|-----------|---------|----------|-----------|----------|
| Per lb   |           |         |          |           | \$2.00   |
| Always   | state thi | ckness, | size and | grade whe | n order- |
| ing.     |           |         |          |           |          |

### AMERICAN RUBBING STONE

A natural stone used for rubbing down carriage and auto bodies. Weight of each stone about one pound.

Each

|           |    |      |  |  |  |  |  |  |  |  |  |  |     |  |  | Each      |
|-----------|----|------|--|--|--|--|--|--|--|--|--|--|-----|--|--|-----------|
| 1000 lots |    |      |  |  |  |  |  |  |  |  |  |  |     |  |  | \$0.081/2 |
| 500 lots. |    | <br> |  |  |  |  |  |  |  |  |  |  |     |  |  | .09       |
| 100 lots. |    | <br> |  |  |  |  |  |  |  |  |  |  | . , |  |  | . 10      |
| Less      | ı. |      |  |  |  |  |  |  |  |  |  |  |     |  |  | 12        |

# SAND PAPER (Best Grade)

Sheets 9 x 11, half ream packages.

| Directs of a 11, mail ream packages     | •       |        |
|---|---------|--------|
| Nos.                                    | Ream    | Quire  |
| 000-00-0                                | \$ 5.40 | \$0.32 |
| 1/2                                     | 5.75    | . 34   |
| 1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 6.50    | . 39   |
| 1½                                      | 7.55    | .45    |
| 2                                       | 8.75    | . 50   |
| 2½                                      | 10.05   | . 60   |
| 3                                       | 11.45   | . 68   |

# MOHAWK SAND PAPER

Sheets 8% x 10½. Medium grade paper of exceptional value.

| ceptional value. |        |        |
|------------------|--------|--------|
| Nos.             | Ream   | Quire  |
| 00-0             | \$4.85 | \$0.29 |
| 1/2              | 5.20   | .31    |
| 1                | 5.85   | .35    |
| 1½               | 6.55   | .39    |
| 2                | 7.45   | .44    |
| 21/2             | 8.40   | .50    |
| 3                | 9.50   | . 57   |
|                  | 0.00   |        |

# STEEL WOOL

AMERICAN STEEL WOOLMEG.CO.N.Y.

Will do the work of sand paper in one-half the time. Is especially valuable for mouldings and uneven surfaces. Used on pianos, carriages, bowling alleys and the finest kinds of finishings.

|   | Per Ib. |
|---|---------|
| No. 00 Steel Wool (extra fine)              | .81     |
| No. 0 Steel Wool (very fine)                | . 53    |
| No. 1 Steel Wool (corresponds to Nos. 0 and |         |
| ½ Sand Paper.)                              | .48     |
| No. 2 Steel Wool (corresponds to No. 1 Sand |         |
| Paper)                                      | .43     |
| No. 3 Steel Wool (corresponds to No. 11/2   |         |
| Sand Paper)                                 | 32      |
|   | Each    |
| Household size, Nos. 0-1-2-3                | .08     |

# **PUTTY**

### COMMERCIAL

|                        | Per cwt. |
|------------------------|----------|
| 12½ lb. pails          | \$5.00   |
| 25 lb. pails           |          |
| 100 lb. tin lined tubs | 4.50     |

# PAINTERS' AND GLAZIERS'

A, high grade commercial putty. Contains no marble dust, and is ground in good oil.

|                                | Per cwt. |
|--------------------------------|----------|
| 12½ lb. pails                  | \$5.50   |
| 25 lb. pails                   | 5.25     |
| 100 lb. tin lined tubs         | 5.00     |
| Half-bbls. about 500 lbs. bulk | 4.85     |
| Bbls. about 900 lbs. bulk      |          |
| Black Putty, 25 lb. pails      | 5.50     |

### STRICTLY PURE

|                 |       |     |      | pure whiting    |      |
|-----------------|-------|-----|------|-----------------|------|
|                 |       |     |      | anteed strictly |      |
| 100             | lb. t | ubs | <br> | per cwt.        |      |
|                 |       |     |      | per cwt.        | 7.00 |
| $12\frac{1}{2}$ | lb. c | ans | <br> | per cwt.        | 7.25 |

# SHELLACS

# SHELLAC VARNISHES

Our shellac varnishes are cut 5 pounds of pure gum to 1 gallon of specially denatured alcohol, containing no benzine. This formula makes an extra heavy shellac that stands considerable thinning. No better shellac can be made.

The packages smaller than one-half gallons are put up in clear glass, wide neck bottles fitted with patent screw cap.

These prices include containers.

### ORANGE

| Per gal.          | Each                   |
|-------------------|------------------------|
| 5 gal. kits\$3.50 | 1/4 gal. bottles\$1.05 |
|                   | 1/8 gal. bottles57     |
| Each              | ½ pt. bottles30        |
| 1 gal. jugs\$3.60 | 1/4 pt. bottles18      |
| ½ gal. jugs1.90   | 1/8 pt. bottles 12     |

### WHITE

| Per gal.          | Eε                     | ach  |
|-------------------|------------------------|------|
| 5 gal. kits\$3.90 | 1/4 gal. bottles. \$1. | . 15 |
|                   | 1/8 gal. bottles       | 63   |
| Each              | ½ pt. bottles          | 34   |
| 1 gal. jugs\$4.00 | ¼ pt. bottles          | 20   |
| ½ gal. jugs2.10   | 1/8 pt. bottles        | 13   |

# PURE DRY SHELLACS

| Orange     | <br> | <br> |  |  |  |  |  |  |  | \$0.75 |
|------------|------|------|--|--|--|--|--|--|--|--------|
| White Bone |      |      |  |  |  |  |  |  |  | . 85   |

# WOOD CEMENTS

# (Stick Shellac.)

A composition containing shellac gum, colored to match various effects in wood finishes. Used by finishers for filling holes and cracks in furniture, woodwork, etc., before varnishing. Better than putty or soft cements.

| Light, Dark and  | Golden  | Oak, Medium | and | Dark     |
|------------------|---------|-------------|-----|----------|
| Mahogany and     | Walnut, | per stick   |     | . \$0.17 |
| Transparent, per | stick   |             |     | 0.20     |

# WOOD STAINS

# PERMATONE OIL STAINS

Made in seven clear rich shades, Mission, Flemish, Weathered, Early English, Dark Golden Oak, Dark Mahogany and Brown Mahogany. A deep penetrating, permanent stain for hard or soft woods. Easy to apply and does not show laps. Send for sample.

# (Regular Shades)

| Gallonseach                                      | \$2.59 |
|--|--------|
| Half-gallonseach                                 | 1.41   |
| Quartseach                                       | .78    |
| Pintseach  | .44    |
| Half-Pintseach Mahogany \$0.65 per gallon extra. | . 20   |

# JOHNSON'S DYES

Prepared stains for staining unfinished woods made in sixteen shades, Forest Green, Golden Oak, Mahogany, Antique, Weathered Oak and Flemish Oak, etc. These stains are widely known, and we can recommend them very highly. They are very easily applied.
Gallon cans Write Half-gallons | for Quarts | Price

### ANILINES

Pints.....

By mixing aniline dyes with alcohol or water autiful wood stains are obtained. We would advise, however, that prepared stains be used wherever possible, for they will ordinarily give better results.

|                             | Per oz. | Per lb. |
|-----------------------------|---------|---------|
| Red                         | \$0.30  | \$4.00  |
| Bismarck Brown, Water Sol   | .15     | 2.00    |
| Bismarck Brown, Alcohol Sol | .15     | 2.00    |
| Nigrosine Black, Water Sol  | . 15    | 1.75    |
| Nigrosine, Alcohol Sol      | .15     | 1.75    |

### DRY MAHOGANY STAINS

With these stains the various shades of mahogany can be obtained. They may be mixed in either water or alcohol. They will not fade when exposed to light.

|                        | Per ID. | Per oz. |
|------------------------|---------|---------|
| 52 Old Mahogany        | \$3.00  | . 25    |
| 56 Fast Brown Mahogany |         |         |

We carry a large variety of stains in addition to the above mentioned.

# STAINS

VELVETONE SHINGLE STAINS

Our shingle stains are made with two purposes always in view, beauty and durability. They combine that velvety appearance so much desired, with real preservative qualities. They contain creosote and colors of great strength. Color decks on application.

| All shades except Silver Grays. |        |
|---------------------------------|--------|
| 50 gallon barrels per gal.      | \$1.00 |
| 30 gallon half-barrelsper gal.  | 1.05   |
| 5 gallon kits and lessper gal.  | 1.25   |

SHINGLE STAIN OIL

# CABOTS SHINGLE STAINS

|   |        |            | 199 inc    |      |          |        |
|---|--------|------------|------------|------|----------|--------|
| , | gallon | cans       |            | I    | per gal. | \$1.20 |
|   | gallon | cans       |            | I    | per gal. | 1.30   |
|   |        |            | 200 to 299 | Inc. |          |        |
| , | gallon | cans       |            |      |          | 1.45   |
|   | gallon |            |            |      |          | 1.55   |
|   |        |            | 300 to 39  |      |          |        |
| ì | gallon | cans       |            |      |          | 1.70   |
|   | gallon | cans       |            |      |          | 1.80   |
|   | Numb   | ers carrie | d in stock |      |          |        |
|   |        |            |            |      |          |        |

220-222-227-244-247-248 301-302-304-305-307-342

Send for color deck and literature.

### OIL STIANS

Best quality, strong and permanent color. Produce excellent results. Made in Light Oak, Dark Oak, Cherry, Mahogany, Walnut, and Rosewood shade.

| Manogany and   |        |
|----------------|--------|
| Rosewood       | Shades |
| Gallons \$2.83 | \$2.00 |
| Half-gallons   | 1.13   |
| Quarts         | . 63   |
| Pints          | .37    |
| Half-pints     | . 27   |
|                |        |

# 61 COLORED FLOOR VARNISH

| Half-gallons  |                   |
|---------------|-------------------|
| Quarts        | Write for prices. |
| Pints         |                   |
| Half-pints    |                   |
| Quarter-pints |                   |

# GLIDDEN'S VARNISHES

Full lines of above makes of varnishes carried in stock. Send for our prices. We may save you money.

# PRATT & LAMBERT'S VARNISHES

Pratt & Lambert have a wide reputation as makers of thoroughly reliable varnishes. Satisfaction can always be had in using their goods. We recommend them highly, having made exhaustive tests of their line.



We carry the following grades in stock, and will quote prices on application, or send us your orders and we will give you lowest current price in keeping with other quotations in this list.

### STAR BRAND SPECIALTIES

Spar Finish
No. 38 Preservative
No. 61 Floor
No. Filtex

# MISCELLANEOUS ARCHITECTURAL FINISHES

Flat Varnish
No. 1 Coach
Builder Interior
Pale Coach
Extra No. 1 Coach
Extra No. 1 Coach

Extra White Damar
Premium Furniture
White Oil Dryer
Dulkote
Pratt's Dryer

# STEWART MOWRY AUTO VARNISHES Gold Cross Brand

|                                    | Gals.  | Qts.   |
|------------------------------------|--------|--------|
| Gold Cross Wearing Body            | \$6.35 | \$1.65 |
| Gold Cross One Coat Coach          | 5.10   | 1.35   |
| Gold Cross Crystal White Finishing | 6.80   | 1.80   |
| Gold Cross Crystal White Surfacing | 5.55   | 1.45   |
| Gold Cross Quick Surfacing         | 4.70   | 1.25   |
| Gold Cross Black Rubbing           | 4.70   | 1.25   |
| Gold Cross Elastic Gear            | 5.10   | 1.35   |
|                                    |        |        |

# SUNSHINE VARNISHES

You are at liberty to order any of our Sunshine Varnishes, give them a thorough test and if not entirely satisfactory, return them at our expense. We will pay freight both ways and credit you for what you have used as well as goods returned.

All varnishes we sell under this brand will give satisfaction if used for the purposes for which they are recommended. In the description we endeavor to give as definite information as possible in regard to working and drying qualities, but bear in mind the fact that any varnish will not always work or dry the same under different conditions.

In 5 gallon cans price is 5 cents net less than gallon price shown below.

### DURABLE INTERIOR

Is our best interior varnish. It has good body, is very elastic, paie in color, and dries with a high gloss, dust free, in about 4 hours, hard in 24. It is not affected by water, and is suitable for window sills, bath rooms, etc.

Can be rubbed or polished. It is a most excellent piece of goods.

| Gallon    |     |  | <br> |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | \$3 | .7  | 2 |
|-----------|-----|--|------|--|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|---|
| Half-gall | on. |  |      |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   | ì | ì | ì | 1   | .9  | 7 |
| Quart     |     |  |      |  |  |  | i | i | i | i | i | i | i | i | i | i | i | ì | i | i | i | 1   | . 0 | 4 |

# PALE INTERIOR

It is intended for good grade interior finishing, it has medium body, is elastic, pale in color, and easy working. Dries dust free in about 3 hours, nard in 15. Can be rubbed or polished.

| Gallon    | \$3.11 |
|-----------|--------|
| nan-ganon | 1.67   |
| Quart     | . 89   |

# GRANITITE

An excellent finish for all uses where a hard, quick-drying varnish is desired. Especially adapted for church and school furniture, chairs, counter tops, etc. It will dry dust free in 2 hours, and hard in 6. Two coats can be applied in one day. Dries with a moderate gloss. Is not affected by alcohol or water, is slightly darker in color than Pale Oak Finish, and is heavy bodied. Can be used for floors with fair results.

| Gallon    |  |  |  |   |  |   |  |  |  |  |  |   | \$3.35 |
|-----------|--|--|--|---|--|---|--|--|--|--|--|---|--------|
| man-ganon |  |  |  | ٠ |  | ٠ |  |  |  |  |  | ÷ | 1.89   |
| Quart     |  |  |  |   |  |   |  |  |  |  |  |   | 1.01   |

### FLAT VARNISH

A practical, easy flowing flat finish that produces a rubbed effect when applied over gloss varnish.

| 72 ga1 |  |  | \$3.19<br>1.73<br>.94 |
|--------|--|--|-----------------------|
|--------|--|--|-----------------------|

### SPAR VARNISH

For exterior use.

It is not affected by warm water or salt water.

Excellent for store fronts, front doors, yachts, bath rooms, kitchen sinks, window sills, etc. The percentage of oil is large, which makes it a very slow drying varnish. It dries dust free in about 6 hours, and hard in 40.

| Gallon      |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |  |   |   | \$3 |     | 33 |
|-------------|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|--|---|---|-----|-----|----|
| Hall-gallo: | n. |   |   | ۰ |   | ٠ | ٠ | ٠ | ٠ |   |   |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |   | ٠ |   | ٠ |  | ٠ |  | ٠ | ٠ | 1   | . : | 83 |
| Guart       |    | ٠ | ٠ |   | ٠ | ٠ | ٠ |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ |  |   |  | ٠ | ٠ | 1   |     |    |
| Pint        |    |   |   | ٠ | ٠ |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |  |   |   |     |     | 59 |

### ELASTIC FLOOR FINISH

This is an excellent floor varnish. It is not affected by water, hence is good for bath rooms, window sills, kitchen sinks, etc. It will not mar white. It is elastic, yet dries very hard in about 12 hours, dust free in 3. Works easily, is light in color, medium body, can be rubbed or polished.

Note—New hardwood floors should be filled with a paste filler before the varnish is applied. Floors should be finished directly with the varnish

| Gallon     | <br> |      |  | <br> |  |   |  |   |  |  |  | \$2 | . 8 | 9 |
|------------|------|------|--|------|--|---|--|---|--|--|--|-----|-----|---|
| nan-ganon. | <br> | <br> |  | <br> |  | ٠ |  | ٠ |  |  |  | 1   | . 5 | 6 |
| Quart      | <br> | <br> |  |      |  |   |  |   |  |  |  |     | .8  | 9 |

### SPECIAL FLOOR FINISH

| A grade o     | of floor | varnish | recommended | where  |
|---------------|----------|---------|-------------|--------|
| Elastic Floor |          |         |             | \$2.60 |

### EXTRA LIGHT COACH

Suitable for interior use where a high-priced variash is considered too expensive. It is rather light in body and fairly elastic, light in color, and easy working. Dries dust free in about 3 hours, and hard in 16. Can be rubbed lightly, but is not recommended for this purpose. We have sold large quantities of Extra Light Coach, and have had no complaints from it. We consider it an exceptionally good varnish at the price.

| Gallon    |      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | \$2 | . ( | 6' | 7 |
|-----------|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|----|---|
| monagamon | <br> | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ۰ | ٠ | ۰ | ۰ | ۰ | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | 1   | . 4 | 44 | 1 |
| Quart     |      |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |     | . 8 | 8: | 3 |

### NO. 1 COACH

A flowing varnish with high lustre. For interior work. Dries over night. A reliable and good varnish for general use.

| mon to general abe. |        |
|---------------------|--------|
| Gallon              | \$2.28 |
| man-ganon           | 1.28   |
| Quart               | .72    |

# COACH VARNISH

| A fair finish for general interior work. from 8 to 10 hours. | Driesin |
|--|---------|
| Gallon   |         |
| Half-gallon  | 1.11    |
| Quart  | . 67    |

### EXTRA HEAVY DAMAR

A transparent white varnish for use in good grade enamels. It is very heavy bodied. Can not be rubbed or polished. Makes an excellent coating for wall paper.

| Gallon      | \$4.13 |
|-------------|--------|
| nair-gallon | 2.21   |
| Quart       | 1.16   |

# NO. 1 FURNITURE

An interior varnish suitable for ordinary work.

It is of medium body and color, dries dust free in 2 hours, and hard in 10. Makes an excellent size for walls when thinned with an equal quantity of benzine.

For better class of Furniture Work, we recommend our Elastic Cabinet Polishing Varnish.

| Gallon      | <br>\$1.94 |
|-------------|------------|
| Half-gallon | <br>1.10   |
| Quart       | <br>. 61   |

### FURNITURE

Is lighter bodied than No. 1 Furniture; is used for similar purposes.

| similar purposes. |        |
|-------------------|--------|
| Gallon            | \$1.72 |
| Half-gallon       | .94    |
| Quart             | . 56   |

### DEGRAH KEYSTONE VARNISH CO.'S

| Gallons      | <br> | \$3.38 |
|--------------|------|--------|
| Half-gallons | <br> | 1.80   |
| Quarts       | <br> | .99    |
| Pints        | <br> | . 54   |

# MONEY-BACK BRUSHES

Every brush is guaranteed to give satisfaction or we will refund full price. Our prices are much lower than others because of our plan of selling.

Our Offer.—We will send, freight prepaid, a sample lot for you to examine and compare for quality and prices. You can order or not, as you wish, and return part or all of sample lot at our expense. We are willing to stand all expenses to show you what we are offering.

# FLAT VARNISH

# RAVEN FLAT VARNISH

| Tin b              | ound, b       | lack | enameled | handle, raw | Chinese |
|--------------------|---------------|------|----------|-------------|---------|
| bristles.<br>Width | Good<br>Lengt |      | е.       |             | Doz.    |
| 1                  | 15/8          |      |          |             | \$0.89  |
| 11/2               | 13/4          |      |          |             | 1.13    |
| 2                  | 17/8          |      |          |             | 1.40    |
| 21/2               | 2             |      |          |             | 1.67    |
| 2                  | 01/           |      |          |             | 2 00    |

# LEADER FLAT VARNISH

Yellow handles, white tin bands, black Chinese bristles, chisel pointed.



| Width | Length Doz. |
|-------|-------------|
| 1     | 134\$1.20   |
| 11/2  | 17/8 1.50   |
| 2     | 2 2.00      |
| 21/2  | 21/8 3.60   |
| 3     | 2½ 4.16     |

# DUCHESS CHISELED FLAT VARNISH

Polished cherry handle, nickel ferrule, black Chinese bristles.



| Width | Length |      | Each-           |
|-------|--------|------|-----------------|
| 1     | 1 3/4  | \$0. | 171/2           |
| 11/2  | 17/8   |      | 23              |
| 2     | 2      |      | 281/2           |
| 21/2  | 21/2   |      | 47              |
| 3     | 21/2   |      | $57\frac{1}{2}$ |

# XX CHINESE CHISEL FLAT VARNISH

Polished cherry handles, nickel band, double thick, elastic black, Chinese bristles, chisel point.



| Width | Length Each |
|-------|-------------|
| 1     | 134\$0.18   |
| 11/2  | 2           |
| 2     | 21/4        |
| 21/2  | 21/2        |
| 3     | 234         |

# XXX CHINESE CHISEL FLAT VARNISH

Nickel bands, polished cherry handles, very heavy elastic black Chinese bristles, chisel point, strictly pure bristles. Same style as XX Chinese but heavier and longer stock.

| Width | Length |  |  |  |  |  |  |  |   |  |  |  |  |   |  | Each   |
|-------|--------|--|--|--|--|--|--|--|---|--|--|--|--|---|--|--------|
| 1     | 2      |  |  |  |  |  |  |  |   |  |  |  |  |   |  | \$0.24 |
| 11/2  | 21/4   |  |  |  |  |  |  |  |   |  |  |  |  |   |  | .38    |
| 2     | 21/2   |  |  |  |  |  |  |  |   |  |  |  |  | ٠ |  | .53    |
| 21/2  | 23/4   |  |  |  |  |  |  |  |   |  |  |  |  | ٠ |  | .79    |
| 3     | 3      |  |  |  |  |  |  |  | ٠ |  |  |  |  |   |  | 1.20   |
|       |        |  |  |  |  |  |  |  |   |  |  |  |  |   |  |        |

# BLACK AUTO CHISEL FLAT VARNISH

Nickel bound, imitation rosewood handle, glue set. This is an extra heavy brush, made of the very best grade long Chinese Hong Kong bristles, perfectly chiseled. A most excellent tool for practical use.



| Width | Length Es | ach |
|-------|-----------|-----|
| 1     | 2\$0.     |     |
| 11/2  | 21/4      | 61  |
| 2     | 2½        | .90 |
| 21/2  | 3 1       | 38  |
| 3     | 31/4      | .08 |

# OVAL AND FLAT SASH TOOLS

BLACK CHISEL SASH TOOLS



| Each        | Each        |
|-------------|-------------|
| No. 1\$0.12 | No. 5\$0.19 |
| No. 2       | No. 6       |
| No. 3       | No. 7       |
| No. 4       | No. 8       |

# BLACK CUTTER FLAT SASH

Long, black Chinese bristles, best grade. Unfinished long handle. Practical painters' sash brush. Made heavy.

| Width | Lengt            | h |        |      |   |  |  |   |  |   |   |   |   |  | 1    | Each |
|-------|------------------|---|--------|------|---|--|--|---|--|---|---|---|---|--|------|------|
| 1     | 2 .              |   | <br>   |      |   |  |  |   |  |   |   |   |   |  | . \$ | 0.19 |
| 11/2  | $2\frac{3}{8}$ . |   | <br>٠. |      | ٠ |  |  | ٠ |  |   |   |   |   |  |      | .30  |
| 2     | $2\frac{1}{2}$ . |   |        | <br> |   |  |  |   |  | ٠ | ۰ | ٠ | ٠ |  |      | .47  |



# POPULAR FLAT VARNISH

# SET IN RUBBER BRUSHES

# BEAUTY FLAT VARNISH

A heavier brush than the Popular. Chiseled Chinese bristles of good spring and life. Yellow polished handles and nickel ferrule. A fine brush, priced low. Bristles set in hard rubber.

| Width   | Length |  |  |  |  |  |  |  |  |   |  |  |  |  |   | E   | a | c | h |
|---------|--------|--|--|--|--|--|--|--|--|---|--|--|--|--|---|-----|---|---|---|
| 1       | 2      |  |  |  |  |  |  |  |  |   |  |  |  |  |   | \$0 |   | 1 | 9 |
| 11/2    | 2      |  |  |  |  |  |  |  |  |   |  |  |  |  |   |     |   | 2 | 7 |
| 216     | 21/8   |  |  |  |  |  |  |  |  | ٠ |  |  |  |  |   |     |   | 3 | 7 |
| 2½<br>3 | 23/8   |  |  |  |  |  |  |  |  |   |  |  |  |  | • |     |   | 6 | 3 |

# XXX JAPAN FLAT VARNISH

Cherry handles, nickel ferrules, very heavy good quality stock, chiseled point. Similar to our XXX Chinese. Bristles set in hard rubber. A painter's brush.

| Width | Length         |  |   |  |  |   |  |   |  | ۰ |  |  |  |  |  | ]  | E | ac  | h |  |
|-------|----------------|--|---|--|--|---|--|---|--|---|--|--|--|--|--|----|---|-----|---|--|
| 1     | 21/8           |  |   |  |  |   |  |   |  |   |  |  |  |  |  | \$ | 0 | . 2 | 7 |  |
| 2 2   | 2 3/8          |  |   |  |  | ٠ |  |   |  |   |  |  |  |  |  |    |   | .4  | 2 |  |
| 21/2  | 27/8           |  |   |  |  |   |  |   |  |   |  |  |  |  |  |    |   | .8  |   |  |
| 3     | $3\frac{1}{8}$ |  | ۰ |  |  |   |  | ٠ |  |   |  |  |  |  |  |    | 1 | .2  | 2 |  |

# VELVET FLAT VARNISH

Finest Black Chinese Bristles of good life and spring, accurately chiseled. Made extra heavy, Beaver tail varnished handles. A most excellent brush for practical painters.

| Width | Length                                       | Each   | Width  | Length                              | Each           |
|-------|--|--------|--------|-------------------------------------|----------------|
| 11/2  | $2\frac{5}{8}$ $2\frac{7}{8}$ $3\frac{1}{8}$ | \$0.51 | 3 31/2 | $\frac{3\frac{3}{8}}{3\frac{1}{2}}$ | \$1.47<br>1.96 |
| 21/2  | 31/8   | 1.02   | 072    | 072                                 | 1.90           |

# OVAL VARNISH

# CROW OVAL VARNISH

Black Chinese bristles, chiseled pointed, solid center, wide nickel ferrule.



|      |      |      |    |      |   |   |       |   |      |   |   |   |   |   |   | F | With   | Without<br>Bridles |
|------|------|------|----|------|---|---|-------|---|------|---|---|---|---|---|---|---|--------|--------------------|
|      | L    | eng  | th |      |   |   |       |   |      |   |   |   |   |   |   |   | Eac    | Each               |
| No.  | 4-0  | 3    |    | <br> |   |   | <br>  |   |      |   |   |   |   |   |   |   |        | \$0,76             |
| No.  | 6-0  | 31/8 |    |      |   |   | <br>  |   |      |   |   |   |   |   |   |   |        | .93                |
| No.  | 8-0  | 31/2 |    |      | i |   |       |   |      |   | i |   | Ì |   |   |   |        | 1.20               |
| No.  | 9-0  | 38%  |    |      | Ĭ | i |       | Ĭ |      |   |   | Ĭ | ۰ | • | • |   | \$1.62 | 1.59               |
|      |      |      |    |      |   |   |       |   |      |   |   |   |   |   |   |   | 2.22   | 2.19               |
|      |      |      |    |      |   |   |       |   |      |   |   |   |   |   |   |   | 2.95   | 2.92               |
| 110. | 11-0 | 472  |    | ٠.   | ۰ |   | <br>۰ | ۰ | <br> | ۰ | ۰ | ۰ | ٠ |   | ۰ |   | 2.90   | 2.92               |

# BLACK TAPER OVAL VARNISH

Very fine and soft, metal bound, chisel point. An excellent tool for practical workmen.



| Length   | Each   | Length    | Each   |
|----------|--------|-----------|--------|
| No. 2 2½ | \$0.56 | No. 6 3½  | \$1.56 |
| No. 4 2¾ | 92     | No. 8 3¾  | 1.93   |
| No. 5 2½ | 1.06   | No. 10 3½ | 2.78   |

# YEDDO BLACK OVAL PAINT OR VARNISH

Extra large chisel oval, metal ferrule, best black stock. With or without bridles.



|                 | Length |  |  |  |  |  |  |  | With<br>Bridles<br>Each | Without<br>Bridles<br>Each |
|-----------------|--------|--|--|--|--|--|--|--|-------------------------|----------------------------|
| No. 8<br>No. 10 | 417    |  |  |  |  |  |  |  | \$2.31                  | \$2.28<br>2.93             |
| No. 12          | 497    |  |  |  |  |  |  |  | 4.15                    | 2.90                       |

# BUD OVAL VARNISH

|     |    |    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |  | ]  | E | a   | c] | a |
|-----|----|----|--|--|--|--|--|--|--|--|--|--|--|--|--|--|---|---|--|----|---|-----|----|---|
| No. | 2. |    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |  | \$ | 0 |     | 6  | 0 |
| No. |    |    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |  |    |   |     |    |   |
| No. |    |    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |  |    |   |     |    |   |
| No. |    |    |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |  |    |   |     |    |   |
| No. | 10 | ). |  |  |  |  |  |  |  |  |  |  |  |  |  |  |   |   |  |    | 1 | . ! | 81 | 0 |
| No. | 12 | 2. |  |  |  |  |  |  |  |  |  |  |  |  |  |  | ٠ | ٠ |  |    | 2 | . : | 2  | 7 |



Made of high grade Russia bristles that are held in a patented metal plate by the Rubberset process. Can be used for paint or kalsomine. Just the brush for applying flat wall paint on rough walls.

Size of block, 3 inches thick by 41/8 inches wide, length of bristles, 5 inches.

# GERMAN KALSOMINE

A stippling brush with a handle. Gray Russia bristles.

| Size       | Si  | ze of                    | В | lock   | Leng          | gtl | h |      |  |  |  |  | E     | a | c | h  |
|------------|-----|--------------------------|---|--------|---------------|-----|---|------|--|--|--|--|-------|---|---|----|
| No.<br>No. | 1 3 | $\frac{2\frac{1}{2}}{3}$ | x | 8 71/2 | 35/8<br>41/2. |     |   | <br> |  |  |  |  | . \$4 |   | 1 | 13 |

# FURNITURE RUBBING



Shoe Handle, Boiled Bristles.

4 rows.....\$0.70

# FLAT WALL

# WINNER WALL

Nickel bound imitation rosewood handle. A good jobbing brush for ordinary use. Black Chinese bristles

| Disties |       |    |  |   |  |  |   |  |  |  |  |  |   |   |  |   |   |     | ~   |     | -  |   |
|---------|-------|----|--|---|--|--|---|--|--|--|--|--|---|---|--|---|---|-----|-----|-----|----|---|
| Width   | Lengt | h  |  |   |  |  |   |  |  |  |  |  |   |   |  |   |   |     | E   |     |    |   |
| 21/2    | 21/4  |    |  |   |  |  | J |  |  |  |  |  |   |   |  |   |   | . 1 | \$0 | . : | 36 | ) |
| 3       |       |    |  |   |  |  |   |  |  |  |  |  |   |   |  |   |   |     |     | . 4 | 46 | 3 |
| 31/2    | 28%   |    |  |   |  |  |   |  |  |  |  |  |   |   |  |   |   |     |     |     | 50 | ) |
| 372     | 21/4  |    |  | - |  |  |   |  |  |  |  |  |   |   |  |   |   |     |     | ,   |    |   |
| 4       | 0 1/8 | ٠. |  |   |  |  |   |  |  |  |  |  |   |   |  |   |   |     |     |     |    |   |
| 4 1/2   | 31/4  |    |  | ٠ |  |  |   |  |  |  |  |  | ٠ | ٠ |  | ٠ | ۰ |     | 1   | . 1 | 36 |   |

# DIXIE WALL

### RAVEN WALL

A medium priced flat wall, black Chinese bristles, nickel bound. A good filler brush

|      | Length |            |     | Length |        |
|------|--------|------------|-----|--------|--------|
| 21/2 | 21/2   | <br>\$0.42 | 4   | 31/4   | \$1.11 |
| 31/2 | 3      | <br>83     | 1/2 | 0/2    | 1.10   |

# BLACK IMPERIAL WALL

Nickel bands. Imitation black walnut handles. Pure black Chinese bristles. Guaranteed and warranted in every particular. A full center brush. A very handsome and good working tool. Exceptionally good value.

Width Length Each Width Length Each

| Width | Lengi       | th |      |            | Width          |      |             |
|-------|-------------|----|------|------------|----------------|------|-------------|
| 3     | 31/4        |    | <br> | <br>\$0.80 | 41/2           | 33/4 | <br>.\$1.69 |
| 31/2  | 31/2        |    | <br> | <br>1.09   | 5              | 4    | <br>. 2.30  |
| 4     | 3 1/2 3 3/4 |    | <br> | <br>1.52   | $5\frac{1}{2}$ | 41/2 | <br>. 3.11  |

# KEYSTONE GRAY WALL


# BLACK MAJESTIC WALL

Nickel bands, imitation rosewood handles. Made from black Hong Kong bristles. Very full and extra long. Full center.



# BLACK VERIBEST WALL

Nickel bands, polished yellow beavertail handles. Made of selected, long, black Chinese bristles. Very full, extra elastic and durable. The best black brush made.



# BLACK EMPIRE WALL

Nickel bound imitation rosewood handles, best black Chinese bristles selected for their even spring and stiffness. This is a very popular brush for all painters.



|      | Length | Each     |
|------|--------|----------|
| 31/6 | 3½     |          |
| 4    | 4      |          |
| 41/2 | 41/4   | <br>2.62 |

# BLACK O K STUCCO

Leather bound, imitation rosewood handles. Selected black Chinese Hong Kong bristles. Most durable and elastic known. Full length and weight. Excellent brush for practical painters' use.



|     | V  | Vidth | Length      |  |       |   |      |   |   |      |   |  | Ea    | ch |
|-----|----|-------|-------------|--|-------|---|------|---|---|------|---|--|-------|----|
|     |    | 31/2  | 4 1/2 4 3/4 |  |       |   |      |   |   |      |   |  | .\$3. | 20 |
|     |    | 4     |             |  |       |   |      |   |   |      |   |  |       |    |
| No. | 40 | 41/2  | 5           |  | <br>٠ | ٠ | <br> | ٠ | ٠ | <br> | ٠ |  | . 4.  | 38 |

# Un X L D WALL BRUSH



Made with a tackless metal binding. No glue or cement used to hold bristles. The metal center wedge is forced into the handle under high pressure which hold the bristles firmly. Guaranteed not to shed. All Chinese bristles. A first-class painters' brush.

| Width | Length | Each    |
|-------|--------|---------|
| 4     | 3¾     | .\$1.62 |

# CONGO BLACK STUCCO

Leather bound, imitation rosewood handles. Black Chinese bristles of good life and spring.

| Width                 | Length | Each   |
|-----------------------|--------|--------|
| No. 30 3½<br>No. 35 4 | 4 ¼    | \$2.53 |
| No. 35 4              | 4/2    | 3.49   |

# RUBBERSET

TRADE MARK

# PAINT BRUSHES

Bristles set in hard vulcanized rubber. Guaranteed not to shed regardless of what they are used in. The latest styles with metal ferrules.

# EXCELLO WALL

 Best selected Chinese bristles. Nickel plated ferrules. Good brush for general use.
 Lack

 Width Length
 Each

 3½
 3¾
 \$1.28

 4
 1.89

# WONDER WALL

Made of selected genuine Chinese bristles of good life and spring. Exactly same as our Jewel Wall except the length of bristles. A wonderful value.

| Width | Length |      |      | Each   |
|-------|--------|------|------|--------|
| 31/2  | 31/2   | <br> | <br> | \$1.33 |
| 4     | 33/4   | <br> | <br> | 1.67   |

# JEWEL WALL

All pure Black Chinese Bristles of good length and full body. An exceptional value. A painters' brush.

Width Length Each \$134 4 \$1.39

4 4 2.00

# REX WALL

Made of all Chinese Black Bristles of high quality and good length. Heavy stock, elastic and durable. A brush that any practical painter would like.



| Width | Length | Each    |
|-------|--------|---------|
| 31/2  | 4      | .\$1.67 |
| 4     | 41/4   | 2.83    |
| 5     | 41/2   | 3.05    |

### EUREKA WALL

Long Hong Kong black bristles selected for elasticity and durability. Very heavy but practical. Extra long bristles. A well balanced brush.

| orcer.        |   | AULES |    | - |   | D |       | • |   |   | ٠. | ٠. |  | - |      | _ |   |   | ~ | ~ | 1 | - | <br>- | - |            |   |
|---------------|---|-------|----|---|---|---|-------|---|---|---|----|----|--|---|------|---|---|---|---|---|---|---|-------|---|------------|---|
| Width         |   | Leng  | ţt | h | ı |   |       |   |   |   |    |    |  |   |      |   |   |   |   |   |   |   |       |   | Each       | ı |
| 3½<br>4<br>4½ | 4 | 1/2   |    |   |   |   |       |   |   |   |    |    |  |   | <br> |   |   |   |   |   |   |   | <br>  |   | <br>\$2.61 |   |
| 4             | 4 | 1/2   |    |   |   |   |       |   |   |   |    |    |  |   | <br> |   | ٠ | ٠ | ۰ | ۰ | ۰ |   | <br>  |   | <br>3.22   | 1 |
| 41/2          | 4 | 5/8   | ۰  | ٠ |   |   | <br>٠ | ٠ | ٠ | ٠ | ٠  | ۰  |  |   | <br> | ٠ | ٠ | ٠ |   | ۰ | ۰ | 0 |       |   | 3.61       |   |

# CORNELL STUCCO

Leather bound stucco brush. Elastic black Chinese bristles of good quality. Full stock. An exceptional value.

| No. |      | Length      |   |  |   |  |   |   |   |   |  |   |   |  |   | Ea   | ch |   |
|-----|------|-------------|---|--|---|--|---|---|---|---|--|---|---|--|---|------|----|---|
| 35  | 4    | 4 1/2 4 3/4 |   |  |   |  |   |   |   |   |  |   |   |  |   | \$3. | 44 |   |
| 40  | 41/2 | 4 3/4       | , |  | ٠ |  | ۰ | ٠ | ٠ | ٠ |  | ٠ | ٠ |  | ٠ | 3.   | 83 | , |

# AJAX STUCCO

Leather bound solid stucco brush made from highest grade Black Chinese bristles of good spring and durability. Long full stock. A prize in its class.

| No. |      |       |   |  |  |  |   |   |   |      |  |   |   |   |   | Each    |
|-----|------|-------|---|--|--|--|---|---|---|------|--|---|---|---|---|---------|
| 35  | 4    | 4 3/4 |   |  |  |  |   |   |   | <br> |  |   |   |   |   | .\$4.00 |
| 40  | 41/2 | 4 3/4 | ٠ |  |  |  | ٠ | ٠ | ۰ | <br> |  | ٠ | ٠ | ۰ | ٠ | . 4.94  |

# WALL STIPPLING


Gray Bristles.



Seven rows of bristles.

| Size                       | Size of Block | Length   | Each   |
|----------------------------|---------------|--|--------|
| No. 1X<br>No. 2X<br>No. 60 |               | 3 \( \frac{1}{8} \) Pitch set<br>3 \( \frac{1}{8} \) Pitch set<br>3 \( \frac{3}{4} \) Rubber set | . 5.55 |

# OHIO PATENT BRUSHES



C and D-Shows Ferrule, beveled after Plug has been driven.

F-Shows "Dovetailed" Handle.

G-Shows "T" Shaped Corrugated Aluminum Plug.

The latest style of Tackless Metal Bound Brushes. Made of high-grade bristles, carefully selected and put together by skilled workmen. No glue or cement used to hold the bristles. The metal center wedge is forced into the handle under high pressure, which holds the bristles firmly in place.

Light and practical tool for painters' use. Guaranteed not to shed bristles, and can be used in Paint, Varnish, Shellac, Hot Glue, Varnish Remover or Fresco Colors.

# OHIO "K" WALL

Selected black Chinese bristles.

|      | Length         |    |
|------|----------------|----|
| 4    | 3½\$1.<br>3¾2. | 63 |
| 41/2 | $3\frac{3}{4}$ | 11 |

# OHIO "H" WALL

Long selected black Chinese bristles.

| Width | Length |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |     | E   | a | c | h |
|-------|--------|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|---|---|---|
| 31/2  | 31/2 . |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | . : | \$1 |   | 4 | 9 |
|       |        |  |   |   |   | ٠ | ٠ |   |   | ٠ | ۰ | ٠ |   | ٠ | ۰ | ۰ | ۰ | ٠ | ٠ | ٠ | ٠ |   | ۰ | ٠ |   |     | 1   |   | 9 | 2 |
| 41/2  | 4 .    |  | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ۰ | ۰ | ۰ | ٠ | ٠ | ۰ | ٠ | ٠   | 2   |   | U | 6 |

# OHIO "E" WALL

Extra long selected Chinese bristle, elastic and durable.

| Width Length | Each |
|--------------|------|
| 3 33/4       |      |
|              |      |
| 41/2 41/2    |      |

# P. H. PASTE BRUSHES

# EUREKA KNOTTED PASTE BRUSH

Gray Russia bristles. Each knot of bristles is tied with twine and heavy copper wire and cemented. The block fits the hand comfortably. It has no handle.

| Width   | Length     |
|---------|------------|
| 8 knot  | 41/4\$4.34 |
| 10 knot | 41/4 5.17  |

# ACME P. H. PASTE

Leather bound, wall brush handle. Gray Russia bristles.

| Width | Length Each | 1 |
|-------|-------------|---|
| 7     | 4\$4.75     | 5 |
| 8-    | 4 5.34      |   |

# STENCIL BRUSHES

# GRAY STENCIL BRUSH

| Mixed   | bristles. | Fair quality. | Eac   | h |
|---------|-----------|---------------|-------|---|
| No. 4 . |           |               | \$0.2 | 0 |
| No. 6 . |           |               |       |   |
| No. 8 . |           |               |       | 9 |

DEKO STENCII DDIISH

|                   | Diameter | ~ | - | • | ٠. | • |  | _ | _ | •    |   |   |   |   |   |   |   | E   | ach             | 1 |
|-------------------|----------|---|---|---|----|---|--|---|---|------|---|---|---|---|---|---|---|-----|-----------------|---|
| No. 40            | 78"      |   |   |   |    |   |  |   |   | <br> |   |   |   |   |   |   |   | \$0 | .47             | , |
| No. 60            | 11/8"    |   |   |   |    |   |  |   |   | <br> | ٠ | ۰ |   |   | ٠ |   |   |     | . 50            | ) |
| No. 80<br>No. 100 | 18/8"    |   |   |   |    |   |  |   |   |      |   |   |   |   |   |   |   |     | .60             |   |
| No. 200           | 11/2"    |   | • |   |    |   |  | • |   |      | • | • | • | • | • | • | • |     | $\frac{73}{73}$ |   |
| No. 300           | 15/8"    |   |   |   |    |   |  |   |   |      |   |   |   |   |   |   |   |     | .98             |   |

# FRESCO STENCIL BRUSH

| All best | white | bristles, | wire | bound. | Each   |
|----------|-------|-----------|------|--------|--------|
| No. 9-0  |       |           |      |        | \$3.22 |

### WATER TOOLS OR SPOKE BRUSHES

|        | All Gray Brist | les. | Each   |
|--------|----------------|------|--------|
| No. 9  | <br>           |      | \$0.65 |
| No. 10 |                |      |        |

# WHITEWASH HEADS

# TRYME WHITEWASH HEAD

Metal bound. Cheap jobbing brush. All white Tampico.

| Width | Length | Each       |
|-------|--------|------------|
| 7     | 23/4   | <br>\$0.36 |

# ADVANCE WHITEWASH

All Tampico-Yellow Handles.

| 6-inch<br>7-inch |    | <br> |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | .each   | \$0.19 |  |
|------------------|----|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---------|--------|--|
| -Inch            | ٠. |      | ۰ | ۰ | ۰ | ٠ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ٠ | ۰ | ۰ | ۰ | ۰ | ۰ | . cacii | . 22   |  |

### RAVEN WHITEWASH

Black tampico center with black horse hair casing.

| 7-inch |   |   |   |   |   |   |   |   |  |  |   |  |   |  |  |  |  |  |      |     |   |
|--------|---|---|---|---|---|---|---|---|--|--|---|--|---|--|--|--|--|--|------|-----|---|
| 8-inch |   |   |   |   |   |   |   |   |  |  |   |  |   |  |  |  |  |  | each |     |   |
| 9-inch | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |  |  | ٠ |  | ٠ |  |  |  |  |  | each | .51 | Ĺ |

# PUCK WHITEWASH

|                  | gray horse |      |              |
|------------------|------------|------|--------------|
| 7-inch<br>8-inch |            | <br> | .each \$0.30 |
|                  |            |      |              |

# K WHITEWASH

A cheap white brush. White bristles outside, tampico center, metal bound.

| Width | Length | , |       | - |   | _ | _ | _ | - |   |  |   |   |   |   |   |   |   |   |   |   |      | Each |
|-------|--------|---|-------|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|------|------|
| 6     | 23/8   |   |       |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | . \$ | 0.41 |
| 7     | 25/8   |   |       |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |      | .48  |
| 8     | 21/8   |   |       |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |      | .57  |
| 9     | 3/8    |   | <br>٠ | ٠ | ٠ |   | ۰ | ٠ | ۰ | ۰ |  | ۰ | ۰ | ٠ | ۰ | ۰ | ٠ | ٠ | ۰ | ٠ | ٠ |      | .05  |

### STANDARD WHITEWASH

Metal bound, white bristle outside, mixed center, long stock. A durable and attractive brush for household use.

| Width | Length |   |   |      |       |   |   |   |  |   |   |   |   |   |   |   |   |   |     | E  | a.c | eh |
|-------|--------|---|---|------|-------|---|---|---|--|---|---|---|---|---|---|---|---|---|-----|----|-----|----|
| 7     | 33/4 . |   |   | <br> |       |   |   |   |  |   |   |   |   |   |   |   |   |   | . 5 | 80 | . 6 | 39 |
| 8     | 334    |   |   |      |       |   |   |   |  |   |   |   |   |   |   |   |   |   |     |    |     | 75 |
| 9     | 3%4    | ۰ | ۰ | <br> | <br>٠ | ۰ | ٠ | ٠ |  | ۰ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ۰ | ٠ | ٠   |    | . ک | 35 |

### SUPER WHITEWASH

Brass bound, all white Russia bristles. Have good life and spring. Superior brushes in every way.



| Wid       | th Length | 1 | Each        |
|-----------|-----------|---|-------------|
| No. 1-0 8 |           |   | <br>.\$7.44 |
| No. 2-0 9 |           |   | <br>. 8.25  |
| No. 3-0 9 | 41/4      |   | <br>. 991   |
| No. 4-0 9 | 41/2      |   | <br>. 11.33 |

# ATLANTIC WHITEWASH

Brass bands. Natural wood finished blocks. Black Bristles.

| Width | Leng | th  |   |  |   |   |   |      |   |   |   |   |   |   |  |   |   |   |   |   |   |   | Eac   | eh |
|-------|------|-----|---|--|---|---|---|------|---|---|---|---|---|---|--|---|---|---|---|---|---|---|-------|----|
| 7     | 31/4 |     |   |  |   |   |   |      |   |   |   |   |   |   |  |   |   |   |   |   |   |   | \$0.9 |    |
| 8     | 31/2 | • • | ٠ |  | ٠ | ٠ | ٠ | <br> | ۰ | ۰ | ٠ | ٠ | ٠ | ٠ |  | ٠ | ۰ | ۰ | ۰ | ٠ |   | ۰ | 1.6   | 33 |
|       | 078  |     | ۰ |  |   | ۰ | ۰ | <br> | ٠ |   | ۰ | ۰ | ٠ |   |  | ۰ |   | ۰ | ۰ | ٠ | ۰ |   | 1.8   | 50 |

# PEERLESS WHITEWASH

All white Russia bristles, extra length, very full. A practical brush for masons' and plasterers' use.

|     | Wi | idth | Length |   |    |   |      |   |   |  |   |   |     |   |   |   |   |   | Each           |
|-----|----|------|--------|---|----|---|------|---|---|--|---|---|-----|---|---|---|---|---|----------------|
| No. |    |      | 4 .    |   |    |   | <br> |   | ٠ |  |   |   |     |   |   |   |   |   | \$3.68         |
| No. |    |      | 41/4.  |   | ٠. | ۰ | <br> | ٠ | ۰ |  | ٠ | ٠ |     |   |   |   | ٠ | ٠ | 5.44           |
| No. |    |      | 4 1/2. | • | ٠. | ۰ | <br> | ۰ | ۰ |  | ۰ | ٠ | • • | ۰ | ٠ | ٠ | ٠ | ۰ | $7.28 \\ 8.74$ |

# KALSOMINE

# GEM KALSOMINE

A cheap brush for household use. Mixed center, white bristles outside. One of the best cheap kalsomine brushes made.

| Width | Length |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | Each   |
|-------|--------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--------|
| 6     | 4 .    |   |   | ٠ |   |   |   |   | ٠ |   | ٠ | ٠ |   |   |   |   |   |   | ۰ |   |   | ٠ |   |   | \$0.72 |
| 7     | 4      |   | ٠ | ٠ |   | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ۰ | ۰ | .80    |
| 8     | 4      | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | ۰ |   | ۰ | . 89   |

# DUKE KALSOMINE BRUSH

An all yellow Russian bristle brush at a moderate price. Good value.

| Width | Length |  |  |  |  |  |  |   |   |  |   |   |  |   |   |   | Each |
|-------|--------|--|--|--|--|--|--|---|---|--|---|---|--|---|---|---|------|
| 7     | 31/2   |  |  |  |  |  |  |   |   |  |   |   |  |   |   |   |      |
| 8     | 3 5/8  |  |  |  |  |  |  | ٠ | ٠ |  | ٠ | ٠ |  | ٠ | ٠ | ٠ | 1.57 |

# PACIFIC KALSOMINE

| All ye | ellow Ru | ussia | stoc | k. A | good | working | brush. |
|--------|----------|-------|------|------|------|---------|--------|
| Width  | Length   |       |      |      |      |         | Each   |
| 7      | 3 3/4    |       |      |      |      |         | \$2.31 |
| 8      | 4        |       |      |      |      |         | 3.50   |

# SPECIAL BLACK KALSOMINE

Very full stock. Good for kalsomine or paste.



| Width | Length |  |  |  |  |  |   |   |   |   |  |   |   |   |   |   |   |   | Ea |    |
|-------|--------|--|--|--|--|--|---|---|---|---|--|---|---|---|---|---|---|---|----|----|
| 7     | 4 3/4  |  |  |  |  |  |   | ٠ |   |   |  |   | ٠ |   | ٠ |   |   | ٠ |    |    |
| 8     | 5      |  |  |  |  |  | ٠ | ٠ | ٠ | ۰ |  | ٠ | ٠ | ٠ |   | ۰ | ٠ | ٠ | 6. | 17 |

### BXX KALSOMINE

Zinc bands, natural finish handle, all Russia bristles. An excellent brush.

| Width | Length |  |  |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  | Es   |    |   |
|-------|--------|--|--|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|------|----|---|
| 7     | 5      |  |  |  |   | ٠ |   |   |   |   |   |   | ٠ |   |   | ٠ |   |   |  | \$7. |    |   |
| 8     | 51/4   |  |  |  | ٠ | ٠ | ۰ | ۰ | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ |  | 9.   | 50 | ) |

# RUSSIA KALSOMINE

# EX EX KALSOMINE

Zinc bands, natural wood finished handles, best Yellow Okatka bristles. Thoroughly reliable. Long and elastic.

| and clas | icic. |  |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |         |
|----------|-------|--|---|--|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---------|
| Width    |       |  |   |  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  | Each    |
| 7        |       |  |   |  |   | ٠ | ٠ | ٠ | ٠ |   |   | ٠ |   | ٠ | ۰ |   |   | ٠ |  | \$10.05 |
| 8        | 5 8/4 |  | ٠ |  | ٠ |   | ٠ |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |   |  | 13.66   |

# P. H. SMOOTHERS

# MYSTIC PAPERHANGERS' SMOOTHER

White varnished handle, two rows tampico stock.

Length Each
No. 10 2 ... \$0.31
No. 12 2 ... .36

# CHINESE PAPER HANGERS' SMOOTHER

Black Chinese bristles, copper wire drawn, varnished handles.



| Width | Length |  |  |  |  |  |  |  |   |  |  |  |  | Each |  |
|-------|--------|--|--|--|--|--|--|--|---|--|--|--|--|------|--|
| 10    | 2      |  |  |  |  |  |  |  | ٠ |  |  |  |  |      |  |
| 12    | 2      |  |  |  |  |  |  |  |   |  |  |  |  | 1.36 |  |

# KITO P. H. SMOOTHER

| A wil   | re drawr | 1   | bla | .ck |   | C   | hı | n | es | e | DI | ris | tı | e | 1 | or | u | sn  | or good |
|---------|----------|-----|-----|-----|---|-----|----|---|----|---|----|-----|----|---|---|----|---|-----|---------|
| quality | at mode  | era | ate | r   | r | ice | Э. |   | T  | W | 0  | ro  | N  | S | ( | of | ł | ris | stles.  |
| Width   | Length   |     |     | _   |   |     |    |   |    |   |    |     |    |   |   |    |   |     | Each    |
| 10      | 13/4     |     |     |     | ٠ |     |    |   |    |   |    | ٠.  |    |   |   |    |   |     | \$0.57  |
| 12      | 13/4     |     |     |     |   |     |    |   |    |   |    |     | ٠  |   |   |    |   |     | . 67    |

# EXTRA EXTRA PAPER HANGERS, SMOOTHER

 Made from the best Okatka bristles, two rows.
 An excellent brush.

 Width Length
 Each

 10
 2
 \$1.77

 12
 2
 2.38


# KOKO P. H. SMOOTHER

Best quality stiff black bristles, three rows bristles.
An excellent tool.
Width Length Each

| Width | Length |  |  |  |        |   |  |  |   |  |  |  |  | Each |
|-------|--------|--|--|--|--------|---|--|--|---|--|--|--|--|------|
| 10    | 25/8.  |  |  |  |        |   |  |  |   |  |  |  |  |      |
| 12    | 25/8   |  |  |  | <br>٠. | ٠ |  |  | ٠ |  |  |  |  | 2.38 |

### BEST PAPER HANGERS' SMOOTHER

Best grade white bristles, extra long.



| Width 12 |  |  |  |  |  | Each \$2.70 |
|----------|--|--|--|--|--|-------------|
|----------|--|--|--|--|--|-------------|

# DAISY P. H. SMOOTHER

| Black | Cainese bristles, 2 rows. | Each   |
|-------|---------------------------|--------|
| Width |                           |        |
| 10    | 2                         | \$1.30 |
| 12    | 2                         | 1.67   |

# REGAL P. H. SMOOTHER

# RUBBERSET P. H. SMOOTHERS

| Width   | Length |       |                 | Each   |
|---------|--------|-------|-----------------|--------|
| No. 161 |        | 21/4  | black bristles  | \$1.39 |
| No. 161 | 12     | 21/4  | black bristles  | 1 50   |
| No. 155 | 10     | 2 1/8 | yellow bristles | 3.44   |
| No. 155 | 12     | 27/8  | yellow bristles | 3.94   |

# FLAT DUSTERS

JET FLAT DUSTER

Black stock, medium grade.

Widtn Each \$1.04

# STAR FLAT PAINTERS' DUSTER Good Black Stock



| <br>Each<br>\$1.17 |
|--------------------|
|                    |

# BEST FLAT PAINTERS' DUSTER

| High Grade Gray Stock | Each | 4 4 ½ | \$3.00

# ROUND DUSTERS



# MYSTIC PAINTERS' DUSTER

|         | bristles | outside, | gray | center, red | polished |
|---------|----------|----------|------|-------------|----------|
| handie. | Length   |          |      |             | Each     |
| No. 44  |          |          |      |             |          |
| No. 66  | 4        |          |      |             | .97      |

# SUPER PAINTERS' DUSTER

|                | mixed<br>Length | lsi | ile | 8 | , 1 | re | d | p | ol | is | he | ed | h | a | n | d | le | Each |
|----------------|-----------------|-----|-----|---|-----|----|---|---|----|----|----|----|---|---|---|---|----|------|
| No. 6<br>No. 8 | 41/4            |     |     |   |     |    |   |   |    |    |    |    |   |   |   |   |    | 1 10 |
| NO. 8          | 4/2             |     | ٠   |   | ٠   |    |   | ۰ |    | ٠  |    | ٠  |   | ٠ | ٠ |   | ٠. | 1.12 |

### COACH DUSTER

All white French bristles, yellow polished handle.

Length Each
No. 9 4 \$1.87

SPECIAL PAINTERS' DUSTER

Best Russian bristles, white outside, gray center, red polished handle. A heavy brush for practical

 use.
 Length
 Each

 No. 40 4½
 \$2 40

 No. 50 4½
 2.93


JEWELL ROUND DUSTER

Black mixed stock. Excellent value.

Length Each
No. 60 4 \$1.67

CHINFSE DUSTER

# OVAL DUSTERS



| No. 91 black | bristles |  |  |      |      |      | .each 2 | \$1.56 |
|--------------|----------|--|--|------|------|------|---------|--------|
| No. 92 white | bristles |  |  |      |      | <br> | .each   | 3.44   |
| No. 60 white | stock    |  |  | <br> | <br> |      | .each   | 2.28   |

# WEIGHTED FLOOR BRUSH

| Weight    | WEIGHTED PLOOK BROSH | Each   |
|-----------|----------------------|--------|
|           |                      | \$2.78 |
| 25 lb     |                      | 3.56   |
| Johnson's | 8 lb. size           | 2 09   |



# WIRE BRUSHES

No. 9B CASTING BRUSH

Block 8 in. x 3 in., 6 rows, wire 4 in. long.... \$0.44

NO. 1780 SCRATCH

For removing Paint or Varnish.



5 rows, wire 15% in. long..... \$0.44

# NO. 1778 OBLONG WIRE

With Handle. For Removing Varnish.

Block 2\% in. x 1\% in. Wire 2\% in. long.. Each \\$0.39

NO. 1781 WIRE BRUSH
Shoe Brush Handle. For cleaning mouldings.



4 rows, wire 1 ¼ in. long..... \$0.39

# NO. 1783 CURVED BACK SCRATCH For Removing Paint or Varnish.



Block 7 in. x 3 in., 9 rows, Wire 11/8 in, long. \$0.67

### BRICK LINERS
Width
Headers 2 inch. \$0.17
Trenchers 3 inch. 19

SEAMING BRUSH

Width Each \$0.26

# ROOFING BRUSHES

# AA ROOFING

|   |      |  |  |      |  |  |  |  |  |  |  |  |  |      |  |  |      | E) | a   | cł | 1 |
|---|------|--|--|------|--|--|--|--|--|--|--|--|--|------|--|--|------|----|-----|----|---|
| 3 | knot |  |  | <br> |  |  |  |  |  |  |  |  |  | <br> |  |  | . \$ | 1  |     | 11 | L |
| 4 | knot |  |  | <br> |  |  |  |  |  |  |  |  |  | <br> |  |  |      | 1  | . ' | 44 | Ŧ |


# M BRISTLE ROOFING



|   |       |  |  |  |  |  |  |  |   |  |  |   |  |  |   |   |   |   |   |   |   |  | Ea   | ch |  |
|---|-------|--|--|--|--|--|--|--|---|--|--|---|--|--|---|---|---|---|---|---|---|--|------|----|--|
| 3 | knot. |  |  |  |  |  |  |  |   |  |  |   |  |  |   |   |   |   |   |   |   |  | \$1. | 67 |  |
| 4 | knot. |  |  |  |  |  |  |  | ۰ |  |  | ۰ |  |  | ٠ | ۰ | ۰ | ٠ | ۰ | ۰ | ٠ |  | 2.   | 39 |  |

# BRISTLE MARKING BRUSH

Round, cedar handles. Tin ferrules.



|              | Per doz |  |
|--------------|---------|--|
| No. 1        | \$0.62  |  |
| No 2         |         |  |
| No. 3        |         |  |
| No. 4        |         |  |
| No. 5        | 97      |  |
| Ass't 1 to 6 | 90      |  |

# SUPER BRISTLE FRESCO BRUSH

Round and flat, black polished handles, tin ferrules. Long bristles.



# BRISTLE, ARTISTS' AND FRESCO BRUSHES

# ARTISTS' BRISTLE BRUSH

Chiseled, flat, red polished handle, tin ferrule. Best Beau Blanc bristles.



| Vid | ļΠ |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |   |   |   |   | Eac   |
|-----|----|---|---|---|---|---|---|---|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|---|---|---|---|---|-------|
| 1/1 |    |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |   |   |   |   | \$0.1 |
| 3/  |    | • | • | • | • | ٠ | ۰ | · | Ť  | Ť | Ť | · | Ť | Ť | Ī |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |   |   |   |   | .1    |
| 18  |    | ۰ |   | • | • | • | ٠ |   |    |   |   |   |   |   |   |   |   |   |   |   | • | • | • | • | • | • | ۰ | ٠ | • | ٠ | ٠ | •  | • | ı | · | Ť |   | .2    |
| /2  |    | ٠ |   | ٠ | ۰ | ۰ | ٠ | ۰ | ۰  | ٠ | ۰ | ٠ | ٠ | ۰ | ۰ | ۰ | ۰ | ۰ | ٠ | ۰ | ۰ | ٠ | ۰ | ٠ | ٠ | ۰ | ۰ | ۰ | ٠ | ۰ | ۰ | ٠  | ۰ | • |   | • | ۰ | .5    |
| 5/8 |    |   |   |   | ٠ | ۰ | ٠ | ۰ | 0. | ٠ | ۰ | ۰ | ٠ | ۰ | ۰ | ۰ | ۰ | ۰ | ٠ | ٠ | ۰ | ۰ | ۰ | ٠ |   | ٠ | ۰ | ۰ | ٠ | ٠ | ۰ | ۰  | ۰ | ۰ | ۰ | ۰ | ۰ |       |
| 8/4 |    |   |   |   |   |   |   |   |    |   |   |   | ٠ |   | ٠ | ٠ | ٠ | ٠ |   |   |   |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ۰  |   |   |   |   |   |       |
| 7/8 |    |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |   |   |   |   | .4    |
| /0  |    |   |   | ľ |   | Ť | Ť |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |    |   |   |   |   |   | .4    |
| 11  |    |   |   | ۰ | ۰ | ۰ | ۰ | ۰ | ۰  | ۰ | • | ۰ | ۰ | • | • | • | ٠ |   | ٠ | ٠ | ٠ | ٠ | ٠ | • | • | ٠ |   |   |   |   |   |    |   |   |   |   |   |       |
| 1/8 |    |   |   |   | ۰ | ۰ | ٠ | ٠ | ۰  | 0 | 0 | ۰ | ۰ | ۰ | • |   | • | • |   | • | • | • | • |   | • | • |   |   |   |   |   | ٠  | ٠ | ۰ |   |   | • | .6    |
| 1/4 |    |   |   |   | ۰ | ٠ | ٠ | ۰ | ۰  | ۰ | ۰ | ٠ | ۰ |   | • |   | ۰ | ۰ | • | • | • | • | • |   | • | • |   | • |   |   |   |    |   | ٠ |   | ۰ | ۰ |       |
| 16  |    |   |   |   |   |   |   |   |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | į. |   |   |   |   |   | .8    |

# BRIGHT'S ARTIST BRISTLE BRUSH


|       | Each   |        | Each |
|-------|--------|--------|------|
| No. 1 |        | No. 7  |      |
| No. 2 | <br>17 | No. 8  |      |
|       | <br>10 | No. 9  |      |
|       |        | No. 11 |      |
|       |        | No. 12 |      |

# ANGULAR FRESCO BRISTLE



# GRAINING BRUSHES

BRISTLE PIPED OVER GRAINERS



# WALNUT STIPPLING

Long Russia bristles, brass ferrules, cedar handles



| Width | Le | ng | tl | 1 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |      |       |   |   |   |   | Each           |
|-------|----|----|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|------|-------|---|---|---|---|----------------|
|       |    |    |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |      |       |   |   |   |   | \$4.27         |
|       |    |    |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |      |       |   |   |   |   | 4.83           |
| 31/2  | 6  | ٠  |    |   |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ |   | <br> | ٠     | ٠ |   |   | ٠ | 6.27           |
| 41/   | 6  |    |    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |      |       |   |   |   |   | $7.05 \\ 8.71$ |
| 4/2   | 0  | •  | •  |   | ٠ | ٠ | • | ۰ | ٠ | ٠ | • | • | ٠ | ٠ | ٠ | ٠ | ٠ | ۰ | ٠ | ٠ | • | • |      | <br>٠ | • | ٠ | ٠ | ٠ | 0.11           |

|                | FIN. | E | В | $\mathbf{R}$ | IIS | т | L | E | I | 1/4 | IN | ī | G | R | ,A | 1 | N | 0  | L | L |   |     |   |     |   |
|----------------|------|---|---|--------------|-----|---|---|---|---|-----|----|---|---|---|----|---|---|----|---|---|---|-----|---|-----|---|
| Width          | 1    |   |   |              |     |   |   |   |   |     |    |   |   |   |    |   |   |    |   |   |   |     | Ε | acl | a |
| 11/2           |      |   |   |              |     |   |   |   |   |     |    |   |   |   |    |   |   |    |   |   |   | . 9 | 0 | . 2 | 1 |
| 4              |      |   |   |              |     |   |   |   |   |     |    |   |   |   |    | ٠ |   |    |   |   | ۰ |     |   | . 2 | 6 |
| $2\frac{1}{2}$ |      |   |   |              |     |   |   |   |   |     |    | ٠ |   |   |    | ٠ |   | ٠. | ٠ | ٠ | ٠ | ۰   |   | . 3 | 2 |

# KNOTTED BADGER BLENDER

Set in Hollywood, Polished Cedar Handles.



| Width                               |  |  |  |  |  |  |  |  |   |  |   |   |   |   |   |   |   |   |   |  | Eacl  | h |
|-------------------------------------|--|--|--|--|--|--|--|--|---|--|---|---|---|---|---|---|---|---|---|--|-------|---|
| 21/2                                |  |  |  |  |  |  |  |  |   |  |   |   |   |   |   |   |   |   |   |  | \$2.3 | 3 |
| $\frac{2\frac{1}{2}}{3\frac{1}{2}}$ |  |  |  |  |  |  |  |  | ٠ |  | ٠ | ٠ | ٠ | ٠ | ۰ | • | ۰ | ۰ | ۰ |  | 3.5   | 0 |

# SOFT HAIR SIGN BRUSHES

### OX HAIR WRIGGERS

Long red polished handles, tin ferrules, good stock

|       | Each |        | Each   |
|-------|------|--------|--------|
| No. 1 |      | No. 7  | \$0.15 |
| No. 2 | .08  | No. 8  | . 16   |
| No. 3 | .09  | No. 9  | .18    |
| No. 4 | .10  | No. 10 | . 20   |
| No. 5 | .11  | No. 11 | . 23   |
| No. 6 | 13   | No. 12 | . 30   |

# OX HAIR SIGN

Broad flat. Polished cedar nandles, nickel plated ferrules.

| er. | ruie | 8 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | 100    |
|-----|------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|--|---|---|---|---|---|---|---|---|---|---|--------|
| Wi  | dth  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | Each   |
|     | 14   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | \$0.27 |
|     | 3/8. |   |   |   |   |   |   |   |   | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |  | ٠ | ٠ |   | ٠ | ٠ | ۰ | ٠ | ٠ | ٠ | ٠ | . 33   |
|     | 1/2  |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   | ٠ |   | ٠ | ٠ | ٠ |   |   |   |   | . 37   |
|     | 5/8. |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | . 43   |
|     | 3/4  |   |   |   |   | i | i | i | i | ì | i | ì | i | ì | i |   |   |   |   |   |   |  |   |   | · |   |   |   |   |   |   |   | :49    |
|     | 14   |   | ٠ | ٠ | ٠ |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | . 62   |
|     |      |   | ۰ | ۰ | • | ٠ |   | ٠ | ٠ | ۰ | ۰ | ۰ |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | .72    |
|     | 11/8 |   |   |   | ٠ | ٠ |   | ٠ |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |        |
|     | 11/4 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | .82    |
|     | 11/0 |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   | _ |   |   |   |   |   |   |   | . 99   |
|     | 197  |   | • | ۰ | ۰ | • | • | ٠ | ۰ | Ť | • | • | • | Ť |   | Ť |   |   |   | · | Ť |  |   |   |   |   |   |   |   |   |   |   | 1.48   |
|     | 1 %  |   | ٠ | ٠ | ٠ |   | ۰ | ۰ | ٠ | ٠ | ٠ |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   |        |
|     | 2    |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |  |   |   |   |   |   |   |   |   |   |   | 1.72   |

# PERFECT STROKE BRUSHES CAMEL HAIR

Polished cedar handles. Metal ferrules. Made very thin, with stock about 1 inch long. For sign writing on cards, canvas, oilcloth, etc.

| Width | Each       | Width | Each       |
|-------|------------|-------|------------|
| 1/2   | <br>\$0.20 | 3/4 . | <br>\$0.36 |
| 3/8   | <br>.22    | 7/8   | <br>. 39   |
| 1/2   | <br>. 28   |       | <br>.70    |
| %     | <br>. 32   | 11/   | <br>1.92   |
|       |            |       |            |

# CAMEL HAIR LETTERING PENCILS

| Cedar Handles |   |    |   |   |   |  |  |  |  |  |  |  | E | a | eh |  |  |       |    |   |   |   |   |  |  |     |     |    |  |
|---------------|---|----|---|---|---|--|--|--|--|--|--|--|---|---|----|--|--|-------|----|---|---|---|---|--|--|-----|-----|----|--|
|               |   |    |   |   |   |  |  |  |  |  |  |  |   |   |    |  |  |       |    |   |   |   |   |  |  | \$0 |     |    |  |
| No.           |   |    |   |   |   |  |  |  |  |  |  |  |   |   |    |  |  |       |    |   |   |   |   |  |  |     |     |    |  |
| No.           |   |    |   |   |   |  |  |  |  |  |  |  |   |   |    |  |  |       |    |   |   |   |   |  |  |     |     |    |  |
| No.           |   |    |   |   |   |  |  |  |  |  |  |  |   |   |    |  |  |       |    |   |   |   |   |  |  |     | . : |    |  |
| No.           |   |    |   |   |   |  |  |  |  |  |  |  |   |   |    |  |  |       |    |   |   |   |   |  |  |     | . 4 |    |  |
| No.           |   |    |   |   |   |  |  |  |  |  |  |  |   |   |    |  |  |       |    |   |   |   |   |  |  |     | . ! |    |  |
| Ass'          | 2 | te | ) | 1 | 2 |  |  |  |  |  |  |  |   |   |    |  |  | <br>K | )( | r | d | 0 | Z |  |  | 4   | . 4 | to |  |

# SOFT HAIR PENCILS

# CAMEL HAIR LETTERING PEN

Super Extra—Square points, in quilts, red, green and silver thread binding. Hair ¾, 1, 1¼ inches long.

|              | Each   |          | Each |
|--------------|--------|----------|------|
| No. 1        | \$0.05 | No. 5    | .11  |
| No. 2        |        | No. 6    | .13  |
| No. 3        |        | No. 7    | .16  |
| No. 4        |        |          | .19  |
| Ass't 1 to 8 |        | per doz. | 1.28 |

French Quills—Made of Best Camel Hair.

| 23028011 /4 00 -/4. | Each   |          | Each   |
|---------------------|--------|----------|--------|
| No. 1               | \$0.07 | No. 5    | \$0.14 |
| No. 2               |        | No. 6    | .17    |
| No. 3               |        | No. 7    | .20    |
| No. 4               |        | No. 8    | .23    |
| Ass't 1 to 8        |        | per doz. | 1.72   |

# CAMEL HAIR SWAN QUILL PENCIL-SQUARE

For Lettering and Striping.



| Length                | Each   |
|-----------------------|--------|
| <sup>8</sup> 4, 1, 1½ | \$0.26 |
| 11/2, 13/4, 2         | .32    |

# RED SABLE LETTERING PENCILS

Black polished handles. Pure sable hair. For eard writers and sign painters.

| WIIICIS and Sign pa | ILLUCIO. |       |        |
|---------------------|----------|-------|--------|
|                     | Each     |       | Each   |
| No. 1               |          | No. 5 | \$0.62 |
| No. 2               |          | No. 6 | .80    |
| No. 3               |          | No. 7 | 1.18   |
| No. 4               | .43      | No. 8 | 1.43   |

# RED SABLE ARTISTS' BRUSHES

For Oil Painting.

Long polished cedar handles, nickel ferrules.

|         | Doz.         | Doz.     |
|---------|--------------|----------|
| No. 1   | \$2.28 No. 7 | . \$3.11 |
| No. 2   | 2.33 No. 8   |          |
| No. 3   | 2.39 No. 9   | . 3.56   |
| No. 4   | 2.55 No. 10  | . 3.78   |
| No. 5   | 2.61 No. 11  | 4.11     |
| No. 6 , | 2.78 No. 12  | . 4.72   |

# PURE BLACK SABLE PENCILS

Silver Plated Ferrules and Black Handles.

| No. | 2  |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |   | Each \$0.37 |
|-----|----|--|--|--|--|--|--|--|--|--|--|--|---|--|--|--|---|-------------|
| No. | 4  |  |  |  |  |  |  |  |  |  |  |  | ٠ |  |  |  |   | . 59        |
| No. | 6  |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |   | 1.27        |
| No. | 8  |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |   | 1.89        |
| No. | 10 |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  |   | 2.70        |
| No. | 12 |  |  |  |  |  |  |  |  |  |  |  |   |  |  |  | ٠ | 3.33        |

# SUPER EXTRA CAMEL HAIR STRIPING PENCILS

Square points, redand green silk and silver thread bindings. Hair 1½, 1¾, 2, 2¼ inches long.



# CAMEL HAIR SWORD STRIPERS



|     |             |    |  |  |  |      |    |    |  | Each       |
|-----|-------------|----|--|--|--|------|----|----|--|------------|
| No. | 1,[2,[3,[4. | ٠. |  |  |  | <br> | ٠. | ٠. |  | <br>\$0.22 |

# SOFT HAIR FLAT BRUSHES

|                 |        | s, Good Qu |        |
|-----------------|--------|------------|--------|
| Width           |        | Width      |        |
|                 |        |            | \$1.37 |
| $\frac{1}{2}$ , | <br>58 | 3          | 1.70   |

# COACH PAINTERS' CAMEL HAIR COLOR

Single thick, in polished brass. Single nailed, short cedar handle, stamped "EXTRA."



| Width | Each    | Width | Each    |
|-------|---------|-------|---------|
| 1/2   | .\$0.36 | 2     | .\$1.31 |
| 1     |         |       |         |
| 11/2  | 72      | 3     | 2.28    |

# COACH PAINTERS' CAMEL HAIR

|                     | COHOL                          |
|---------------------|--------------------------------|
| Double thick, in    | polished brass. Double nailed, |
| short cedar handle, | stamped "EXTRA EXTRA."         |
| 1/2 Width Each      | \$0.49 Width Each              |
| 1                   | .60 21/2\$2.26                 |
| 11/2                | .90 3 2.89                     |
| 2                   | 1.67                           |

# EXTRA BADGER CHISEL FLOWING

In tin, polished, cedar handles.



| Single Thick | Each    |
|--------------|---------|
| 1            | .\$0.64 |
| 1½           | . 0.78  |
| 2            |         |
| 21/2         | . 1.98  |
| 3            | . 2.70  |
| Double thick |         |
| 1            | 86      |
| 11/2         | . 1.33  |
| 2            |         |
| 21/2         | . 2.56  |
| 3            | . 3.13  |

# EXTRA FITCH FLOWING



| 1each   | Single<br>\$0.53 | Double<br>\$0.61 |
|---------|------------------|------------------|
| 1½ each | .69              | 1.05             |
| 2½each  | 1.11             | 1.27             |
| 3each   | 1.33             | 1.02             |

# CAMEL HAIR MARKING

Round Cedar Handles, Tin Ferrules.


|            |          |   |     | _ |   |   |   | • | 1 | • |       |   |   | u | u | ì | i | - | • | 1 |   | •    | • | • |   | 1 | ī    | 1   | Do    |    |
|------------|----------|---|-----|---|---|---|---|---|---|---|-------|---|---|---|---|---|---|---|---|---|---|------|---|---|---|---|------|-----|-------|----|
| No.<br>No. | 1        |   |     |   |   |   |   |   |   |   |       |   |   |   |   |   |   |   |   |   |   | <br> |   |   |   |   | <br> | . : | \$0.8 | 33 |
| No.        | 2        |   |     |   |   |   |   | , |   |   |       |   |   |   |   |   |   |   |   |   |   | <br> |   |   |   |   | <br> |     | 8     | 39 |
| No.        |          |   |     |   |   |   |   |   |   |   |       |   |   |   |   |   |   |   |   |   |   |      |   |   |   |   |      |     |       |    |
| Ass'       | 4.<br>t. | i | t.c |   | i | ٠ | ۰ | • | ٠ |   | <br>• | ٠ | • | • | • | • |   |   |   | • | • |      | • | • | • |   |      | •   | 1.0   | 00 |

# FLAT CAMEL HAIR LACQUERING

| Flat, red | polished handles | , tin ferrules. |
|-----------|------------------|-----------------|
| Width     | Each Wid         | th Each         |
| 3/8       | \$0.14 34.       | \$0.26          |
| 1/2       | 17 7/8           |                 |
| 5/8       | 18 1             |                 |

# ROUND CAMEL HAIR LACQUERING

Round, red polished handles, tin ferrules.



### CAMEL HAIR TIPS

Four Inches Wide.

| 11/2                                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | \$0 |     | -        |  |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|-----|-----|----------|--|
| 2                                   |   |   |   |   |   |   |   |   |   |   | ٠ |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |     | . : | 19       |  |
| $\frac{2\frac{1}{4}}{2\frac{1}{2}}$ |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |     | . ; | 20<br>29 |  |
| 472                                 | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ۰ | ٠ | ٠ | ۰ | ۰ | ۰ | ۰ | ٠ | ٠ | ۰ | ۰ | • | ۰ | • | ٠ | ۰ | ۰ | ۰ | ۰ | ۰ | ٠ | ۰ | ۰ |     | • • |          |  |

# CLINTON BRUSHES


This well-known line of soft hair and bristle brushes needs no lengthy description. Most all practical men either know or have heard of their merits.

# CLINTON'S C. H. COLOR (Double)

Finest selected hair; cedar handles; polished tin ferrules.

| Width | Length          |  |  |   |  |  |  |  |  |  |  |      |  |  | ]  | E | a   | ch | 1 |
|-------|-----------------|--|--|---|--|--|--|--|--|--|--|------|--|--|----|---|-----|----|---|
| 1     | 11/4            |  |  | ۰ |  |  |  |  |  |  |  | <br> |  |  | \$ | 0 | . ! | 88 | 3 |
| 11/2  | $1\frac{7}{16}$ |  |  |   |  |  |  |  |  |  |  | <br> |  |  |    | 1 | . ( | )( | ) |
| 2     | 1 26            |  |  |   |  |  |  |  |  |  |  | <br> |  |  |    | 1 | . ! | 5( | ) |
| 21/2  | 1 3/4           |  |  |   |  |  |  |  |  |  |  | <br> |  |  |    | 1 | . ! | 94 | Ł |
| 3     | 17/8            |  |  |   |  |  |  |  |  |  |  |      |  |  |    | 2 | . ' | 72 | 2 |

# CLINTON'S DOUBLE CHISEL FITCH FLOWING



Best quality; very fine soft stock; pure fitch.

| Width | Length |  |  |  |  |  |  |  |  |  |  |   |  |  |   | E   | ac  | h  |
|-------|--------|--|--|--|--|--|--|--|--|--|--|---|--|--|---|-----|-----|----|
| 1     | 11/4   |  |  |  |  |  |  |  |  |  |  |   |  |  |   | \$0 | . 8 | 39 |
| 11/2  | 13/8   |  |  |  |  |  |  |  |  |  |  | ۰ |  |  |   | 1   | . 2 | 28 |
| 2     | 11/2   |  |  |  |  |  |  |  |  |  |  |   |  |  |   | 1   | . ( | 37 |
| 21/2  | 15/8   |  |  |  |  |  |  |  |  |  |  |   |  |  | ٠ | 2   | . 2 | 22 |

# CLINTON BRUSHES—Continued.

# CLINTON'S No. 500 DOUBLE CHISEL FITCH FLOWING

Mixed fitch and soft black bristles; a very practical tool.

| V | Vidth | Length |  |  |  |  |  |  |  |  |  |  |  |   |   |   |  | E   | ac  | h |
|---|-------|--------|--|--|--|--|--|--|--|--|--|--|--|---|---|---|--|-----|-----|---|
|   | 1     | 13/8   |  |  |  |  |  |  |  |  |  |  |  |   |   |   |  | \$0 | .4  | 4 |
|   | 11/2  | 11/2   |  |  |  |  |  |  |  |  |  |  |  | ٠ |   |   |  |     | . 6 | 1 |
|   | 2     | 15/8   |  |  |  |  |  |  |  |  |  |  |  |   |   |   |  |     | .7  | 8 |
|   | 21/2  | 13/4   |  |  |  |  |  |  |  |  |  |  |  |   |   |   |  |     | .8  | 3 |
|   | 3     | 17/8   |  |  |  |  |  |  |  |  |  |  |  |   | ٠ | ۰ |  |     | . 9 | 4 |

# CLINTON'S QUEEN DOUBLE CHISEL FITCH FLOWING

All fitch hair of good quality; very popular brush.

| Width | Length |  |  |  |  |  |  |  |  |  |  |  |  |   |     | E   | la | ch | ı |
|-------|--------|--|--|--|--|--|--|--|--|--|--|--|--|---|-----|-----|----|----|---|
| 1     | 11/4   |  |  |  |  |  |  |  |  |  |  |  |  |   | . ! | \$0 | ). | 56 | , |
| 11/2  | 13/8   |  |  |  |  |  |  |  |  |  |  |  |  |   |     |     |    | 67 | , |
| 2     | 11/2   |  |  |  |  |  |  |  |  |  |  |  |  |   |     |     |    | 72 | 2 |
| 21/2  | 15/8   |  |  |  |  |  |  |  |  |  |  |  |  |   |     |     |    | 89 | ) |
| 3     | 13/4   |  |  |  |  |  |  |  |  |  |  |  |  | ۰ |     | 1   |    | 11 |   |

# CLINTON'S No. 531 PURE BADGER FLOWING



Double thick; highest quality. All selected pure badger hair.

| Width | Length |  |    |  |  |  |  |      |  |      |  |      |  |  |  | E   | ac  | h  |  |
|-------|--------|--|----|--|--|--|--|------|--|------|--|------|--|--|--|-----|-----|----|--|
| 1     | 176    |  |    |  |  |  |  |      |  |      |  |      |  |  |  | \$1 | .4  | 14 |  |
| 11/2  | 15/8   |  | 10 |  |  |  |  |      |  |      |  |      |  |  |  | 2   | . 2 | 28 |  |
| 2     | 13/4   |  |    |  |  |  |  |      |  |      |  |      |  |  |  | 3   | . 1 | 7  |  |
| 21/2  | 17/8   |  |    |  |  |  |  |      |  |      |  |      |  |  |  | 4   | . 7 | 8  |  |
| 3     | 2      |  |    |  |  |  |  | <br> |  | <br> |  | <br> |  |  |  | 5   | . 6 | 7  |  |

# CLINTON'S STANDARD CHISEL BADGER FLOWING

# CLINTON'S QUEEN CHISEL BADGER FLOWING

# CLINTON'S OX HAIR FLOWING

A very high quality brush, made of pure dark ox hair, double thick.

Width Length

1 1 1 4 \$0.83

1 1 2 1 1 5 1.39

2 1 1 2 1 1.94

2 1 1 2 1.94

2 1 1 3 1 1.94

3 1 3 3 5 0

# CLINTON'S No. 3 OX HAIR FLOWING



# CLINTON'S BLACK DIAMOND FLAT VARNISH



Black elastic bristles; dense stock; nickel ferrule; recognized by the best finishers as the standard in flat varnish brushes; there is none better.

| Width | Length | Each       |
|-------|--------|------------|
| 1     | 13/4   | <br>\$0.33 |
| 11/2  | 115    | <br>56     |
| 2     | 21/8   | <br>72     |
| 21/2  | 23/8   | <br>89     |
| 3     | 25/8   | <br>1.33   |

# CLINTON'S BLACK-EMPEROR OVAL VARNISH

One of the finest oval brushes on the market.

| Size | Length |  |  |  |  |  |  |  |  |  |  |   |  |  |  | Ea  | cl  | h  |
|------|--------|--|--|--|--|--|--|--|--|--|--|---|--|--|--|-----|-----|----|
| 4-0  | 3      |  |  |  |  |  |  |  |  |  |  |   |  |  |  | \$1 | . 2 | 8  |
| 6-0  | 33/8   |  |  |  |  |  |  |  |  |  |  | ٠ |  |  |  | 1   | . 8 | 39 |
| 8-0  | 31/4   |  |  |  |  |  |  |  |  |  |  |   |  |  |  | 2   | . 5 | 0  |

# CLINTON'S WHITE BRISTLE CHISEL FLOWING

The highest quality white stock flat varnish brush made.

| Width | Length |  |      |  |   |      |       |  |  |  |  |   |  |   |  |  | E   | a  | c | h |
|-------|--------|--|------|--|---|------|-------|--|--|--|--|---|--|---|--|--|-----|----|---|---|
| 1     | 13/4   |  |      |  | , |      | <br>, |  |  |  |  |   |  |   |  |  | \$0 | ). | 5 | 6 |
| 11/2  | 17/8   |  |      |  |   | <br> |       |  |  |  |  |   |  |   |  |  |     |    | 8 | 3 |
| 2     | 216    |  |      |  |   |      |       |  |  |  |  | ٠ |  | ٠ |  |  | 1   |    | 1 | 1 |
| 21/2  | 21/4   |  |      |  |   |      |       |  |  |  |  |   |  |   |  |  | 1   |    | 5 | 6 |
| 3     | 23/8   |  | <br> |  |   |      |       |  |  |  |  |   |  |   |  |  | 2   | 3. | 2 | 2 |





A COMPLETE STAGING
Two Platform Ladders, Two Trussed Planks,
One Short Gable Ladder

# Bauer Safety Ladder

PLATFORM LADDERS AND TRUSSED PLANKS MAKE THE BEST STAGING ON THE MARKET

This equipment has an enviable national reputation because it is:

LIGHT—The whole outfit weighs only 220 pounds.

STRONG-It will safely carry 1600 pounds.

HANDY—It is GUARANTEED to save 20% of labor cost.

Sturdily, solidly built of best materials.

Will pay for itself in very short time.

Let us send you illustrated folder, letters from users, etc.

We carry a full line at all times.

# PRICES

| Set—2 ladders, 2 planks, gable ladder | \$45.00 |
|---------------------------------------|---------|
| 12-foot extra planks                  | 4.50    |
| 14-foot " "                           | 5.40    |
| 16-foot " "                           | 6.10    |
| 18-foot " "                           | 7.20    |
| Bauer Safety Extension Feet, per pair | 2.00    |

# SUNSHINE PAINT and VARNISH PRODUCTS

"SUNSHINE" on our paint and varnish materials stands for first quality and carries our guarantee of satisfaction.

Practically all SUNSHINE PRODUCTS are made in our own modern factory. We exercise great care in selecting the best raw materials, which are carefully and scientifically combined to obtain best results. Tests are made both of raw and finished goods to insure absolute uniformity at all times. Our aim in all items is for dependable quality with price a secondary consideration.

Permatone and Duredec Brands are also SUNSHINE QUALITY and carry the same endorsement from us.

In this price list we offer you all the important paint and varnish products under these quality brands, such as Mixed Paint, Barn Paint, Floor Paint, Flat Wall Finish, Enamel, Oil Colors, Mill White, Varnishes, etc.

You may order any of them sent on approval. If not found as represented, you may return same at our expense with no charge for quantity used for trial.

The Cleveland Window Glass and Door Co

# Digitized by

SUI



ASSOCIATION FOR

**PRESERVATION** 

TECHNOLOGY, INTERNATIONAL

www.apti.org

DUCTS

satisfact

in select are mad dependa

> BUILDING TECHNOLOGY HERITAGE LIBRARY

as Mixed

expense

https://archive.org/details/buildingtechnologyheritagelibrary

s our guarantee of

exercise great care est results. Tests in all items is for

lorsement from us.

uality brands, such shes, etc.

return same at our

From the collection of:

Mike Jackson, FAIA